



# International Journal of PharmTech Research

CODEN (USA): IJPRIF, ISSN: 0974-4304 Vol.8, No.6, pp 206-217, 2015

# Global Chaos Synchronization of the Lotka-Volterra Biological Systems with Four Competitive Species via Active Control

# Sundarapandian Vaidyanathan

R & D Centre, Vel Tech University, Avadi, Chennai, Tamil Nadu, India

Abstract: Chaos is an important applied area in nonlinear dynamical systems and it is applicable to many real-world systems including the biological systems. In the biological systems, there is great interest in the stud of Lotka-Volterra biological models, especially in the study of predator-prey models and competitive models. Such models have great interest in fields like agriculture and ecology. In 2005, Sprott, Wildenberg and Azizi found a high-dimensional Lotka-Volterra multi-species competitive model that exhibits spatiotemporal chaos. In 2006, Vano, Wildenberg, Anderson, Noel and Sprott discovered chaos in basic Lotka-Volterra models of four competing species. In this paper, we apply active control method to derive new results for the global chaos synchronization of Lotka-Volterra biological systems with four competing species discovered by Vano, Wildenberg, Anderson, Noel and Sprott. MATLAB plots have been shown to illustrate chaos in the Vano competitive biological systems and also the global chaos synchronization of the Vano competitive biological systems.

**Keywords:** Chaos, chaotic systems, Lotka-Volterra system, population biology, active control, synchronization.

#### 1. Introduction

A dynamical system is called *chaotic* if it satisfies the three properties: boundedness, infinite recurrence and sensitive dependence on initial conditions [1-2]. Chaos theory investigates the qualitative and numerical study of unstable aperiodic behaviour in deterministic nonlinear dynamical systems.

In 1963, Lorenz [3] discovered a 3-D chaotic system when he was studying a 3-D weather model for atmospheric convection. After a decade, Rössler [4] discovered a 3-D chaotic system, which was constructed during the study of a chemical reaction.

Recently, many 3-D chaotic systems have been announced in the literature such as Arneodo system [5], Sprott systems [6], Chen system [7], Lü-Chen system [8], Cai system [9], Tigan system [10], etc. Many new chaotic systems have been also discovered in the recent years like Sundarapandian systems [11, 12], Vaidyanathan systems [13-42], Pehlivan system [43], Pham system [44], etc.

In control theory, active control method is used when the parameters are available for measurement [45-64]. Adaptive control is a popular control technique used for stabilizing systems when the system parameters are unknown [65-79]. There are also other popular methods available for control and synchronization of systems such as backstepping control method [80-86], sliding mode control method [87-98], etc.

Recently, chaos theory is found to have important applications in several areas such as chemistry [99-104], biology [105-112], memristors [113-115], electrical circuits [116], etc.

Synchronization of chaotic systems is a phenomenon that may occur when a chaotic oscillator drives another chaotic oscillator. In most of the synchronization approaches, the master-slave or drive-response formalism is used. If a particular chaotic system is called the master or drive system, and another chaotic system is called the slave or response system, then the idea of synchronization is to use the output of the master system to control the response of the slave system so that the slave system tracks the output of the master system asymptotically.

Chaos is an important applied area in nonlinear dynamical systems and it is applicable to many real-world systems including the biological systems. In 2005, Sprott, Wildenberg and Azizi found a high-dimensional Lotka-Volterra multi-species competitive model that exhibits spatiotemporal chaos [117]. In 2006, Vano, Wildenberg, Anderson, Noel and Sprott discovered chaos in basic Lotka-Volterra models of four competing species [118]. In this paper, we discuss the global chaos synchronization of Lotka-Volterra biological systems with four competing species discovered by Vano, Wildenberg, Anderson, Noel and Sprott. MATLAB plots have been shown to illustrate chaos in the Vano competitive biological system and also the global chaos synchronization of the Vano competitive biological systems.

This paper is organized as follows. Section 2 details the dynamics and properties of the Vano competitive biological system. Section 3 describes our new results for the global chaos synchronization of the identical Vano competitive biological systems using active control method. Section 4 details the numerical simulations illustrating the main result derived in this research paper. Section 5 contains the main conclusions of this work.

## 2. Spatiotemporal Chaos in Lotka-Volterra Competitive Biological Systems

The Lotka-Volterra model [119] is widely used to study the dynamics of interacting species in ecology, biology and many applications. In [117], Sprott, Wildenberg and Azizi found a high-dimensional Lotka-Volterra multi-species model that exhibits spatiotemporal chaos. In [118], Sprott et al. considered the simplest form of such a system in which N species with population  $x_i$  (for i = 1 to N) compete for a finite set of resources according to the model:

$$\dot{x}_i = r_i x_i \left( 1 - \sum_{j=1}^N a_{ij} x_j \right) \tag{1}$$

Here,  $r_i$  represents the growth rate of species i and  $a_{ij}$  represents the extent to which the species j competes for the resources used by species i.

In [119], Vano, Wildenberg, Anderson, Noel and Sprott studied the occurrence of chaos in basic Lotka-Volterra models of four competing species. In [119], Vano *et al.* found chaos in a four-species competitive Lotka-Volterra model for values such as:

$$\begin{bmatrix} r_i \end{bmatrix} = \begin{bmatrix} 1\\0.72\\0.53\\1.27 \end{bmatrix} \quad \text{and} \begin{bmatrix} a_{ij} \end{bmatrix} = \begin{bmatrix} 1&1.09&1.52&0\\0&1&0.44&1.36\\2.33&0&1&0.47\\1.21&0.51&0.35&1 \end{bmatrix}$$
 (2)

As remarked in [108], the four-species competing model (1) with parameter sets (2) is an example of a four-dimensional competitive chaotic system where each species i has its own distinct growth rate  $r_i$ .

The four-dimensional Veno competing chaotic model (1) with the parameter set (2) can be also written as follows.

$$\begin{cases} \dot{x}_1 = x_1 (1 - x_1 - 1.09x_2 - 1.52x_3) \\ \dot{x}_2 = 0.72x_2 (1 - x_2 - 0.44x_3 - 1.36x_4) \\ \dot{x}_3 = 1.53x_3 (1 - 2.33x_1 - x_3 - 0.47x_4) \\ \dot{x}_4 = 1.27x_4 (1 - 1.21x_1 - 0.51x_2 - 0.35x_3 - x_4) \end{cases}$$
(3)

For numerical simulations, we take the initial conditions as  $x_i(0) = 1$  for i = 1, 2, 3, 4.

Figure 1 describes the 3-D projection of the four-dimensional Vano competing chaotic model (3) on the  $(x_1, x_2, x_3)$  – space. Figure 2 describes the 3-D projection of the four-dimensional Vano competing chaotic model (3) on the  $(x_1, x_2, x_4)$  – space. Figure 3 describes the 3-D projection of the four-dimensional Vano competing chaotic model (3) on the  $(x_1, x_3, x_4)$  – space. Figure 4 describes the 3-D projection of the four-dimensional Vano competing chaotic model (3) on the  $(x_2, x_3, x_4)$  – space.




Figure 1. A 3-D projection of the Vano 4-D chaotic system on the  $(x_1, x_2, x_3)$  – space




Figure 2. A 3-D projection of the Vano 4-D chaotic system on the  $(x_1, x_2, x_4)$  — space




Figure 3. A 3-D projection of the Vano 4-D chaotic system on the  $(x_1, x_3, x_4)$  – space




Figure 4. A 3-D projection of the Vano 4-D chaotic System on the  $(x_2, x_3, x_4)$  – space

# 3. Active Control Design for the Global Chaos Synchronization of the Vano 4-D Competitive Biological Chaotic Systems

In this section, we derive new results for the global chaos synchronization of the identical Vano 4-D competitive chaotic systems via active control method. The main result is established via Lyapunov stability theory [120].

As the master system, we consider the Vano 4-D competitive chaotic system given by

$$\begin{cases} \dot{x}_1 = x_1 \left( 1 - x_1 - 1.09 x_2 - 1.52 x_3 \right) \\ \dot{x}_2 = 0.72 x_2 \left( 1 - x_2 - 0.44 x_3 - 1.36 x_4 \right) \\ \dot{x}_3 = 1.53 x_3 \left( 1 - 2.33 x_1 - x_3 - 0.47 x_4 \right) \\ \dot{x}_4 = 1.27 x_4 \left( 1 - 1.21 x_1 - 0.51 x_2 - 0.35 x_3 - x_4 \right) \end{cases}$$

$$(4)$$

where  $x_1, x_2, x_3, x_4$  are the four states of the system (4).

As the slave system, we consider the Vano 4-D competitive chaotic system given by

$$\begin{cases} \dot{y}_1 = y_1 (1 - y_1 - 1.09y_2 - 1.52y_3) + u_1 \\ \dot{y}_2 = 0.72y_2 (1 - y_2 - 0.44y_3 - 1.36y_4) + u_2 \\ \dot{y}_3 = 1.53y_3 (1 - 2.33y_1 - y_3 - 0.47y_4) + u_3 \\ \dot{y}_4 = 1.27y_4 (1 - 1.21y_1 - 0.51y_2 - 0.35y_3 - y_4) + u_4 \end{cases}$$
(5)

where  $u_1, u_2, u_3, u_4$  are active feedback controls to be determined.

We define the synchronization errors as follows:

$$\begin{cases} e_1(t) = y_1(t) - x_1(t) \\ e_2(t) = y_2(t) - x_2(t) \\ e_3(t) = y_3(t) - x_3(t) \\ e_4(t) = y_4(t) - x_4(t) \end{cases}$$
(6)

Then the error dynamics is obtained as

$$\begin{cases} \dot{e}_{1} = e_{1} - y_{1}^{2} + x_{1}^{2} - 1.09(y_{1}y_{2} - x_{1}x_{2}) - 1.52(y_{1}y_{3} - x_{1}x_{3}) + u_{1} \\ \dot{e}_{2} = 0.72e_{2} - 0.72(y_{2}^{2} - x_{2}^{2}) - 0.3168(y_{2}y_{3} - x_{2}x_{3}) - 0.9792(y_{2}y_{4} - x_{2}x_{4}) + u_{2} \\ \dot{e}_{3} = 1.53e_{3} - 3.5649(y_{1}y_{3} - x_{1}x_{3}) - 1.53(y_{3}^{2} - x_{3}^{2}) - 0.7191(y_{3}y_{4} - x_{3}x_{4}) + u_{3} \\ \dot{e}_{4} = 1.27e_{4} - 1.5367(y_{1}y_{4} - x_{1}x_{4}) - 0.6477(y_{2}y_{4} - x_{2}x_{4}) - 0.4445(y_{3}y_{4} - x_{3}x_{4}) \\ - 1.27(y_{4}^{2} - x_{4}^{2}) + u_{4} \end{cases}$$

$$(7)$$

We consider the active nonlinear control defined by

$$\begin{cases} u_{1} = -e_{1} + y_{1}^{2} - x_{1}^{2} + 1.09(y_{1}y_{2} - x_{1}x_{2}) + 1.52(y_{1}y_{3} - x_{1}x_{3}) - k_{1}e_{1} \\ u_{2} = -0.72e_{2} + 0.72(y_{2}^{2} - x_{2}^{2}) + 0.3168(y_{2}y_{3} - x_{2}x_{3}) + 0.9792(y_{2}y_{4} - x_{2}x_{4}) - k_{2}e_{2} \\ u_{3} = -1.53e_{3} + 3.5649(y_{1}y_{3} - x_{1}x_{3}) + 1.53(y_{3}^{2} - x_{3}^{2}) + 0.7191(y_{3}y_{4} - x_{3}x_{4}) - k_{3}e_{3} \\ u_{4} = -1.27e_{4} + 1.5367(y_{1}y_{4} - x_{1}x_{4}) + 0.6477(y_{2}y_{4} - x_{2}x_{4}) + 0.4445(y_{3}y_{4} - x_{3}x_{4}) \\ + 1.27(y_{4}^{2} - x_{4}^{2}) - k_{4}e_{4} \end{cases}$$

$$(8)$$

where  $k_1, k_2, k_3, k_4$  are positive gain constants.

Substituting (8) into (7), we get the closed-loop control system as

$$\begin{cases} \dot{e}_{1} = -k_{1}e_{1} \\ \dot{e}_{2} = -k_{2}e_{2} \\ \dot{e}_{3} = -k_{3}e_{3} \\ \dot{e}_{4} = -k_{4}e_{4} \end{cases}$$
(9)

Next, we state and prove the main result of this section.

**Theorem 1**. The identical Vano 4-D competitive biological chaotic systems (4) and (5) are globally and exponentially synchronized by the active control law (8), where  $k_1, k_2, k_3, k_4$  are positive gain constants.

**Proof.** This result is a consequence of the Lyapunov stability theory [120].

We consider the quadratic Lyapunov function V defined by

$$V(e_1, e_2, e_3, e_4) = \frac{1}{2} \left( e_1^2 + e_2^2 + e_3^2 + e_4^2 \right), \tag{10}$$

which is positive definite on  $R^4$ .

Differentiating V along the trajectories of the error dynamics (9), we obtain the time-derivative of V as

$$\dot{V} = -k_1 e_1^2 - k_2 e_2^2 - k_3 e_3^2 - k_4 e_4^2, \tag{11}$$

which is negative semi-definite on  $R^4$ .

Thus, using Lyapunov stability theory [120], we conclude that the error dynamics (9) is globally exponentially stable. This completes the proof.

### 4. Numerical Simulations

For numerical simulations, we use the classical fourth-order Runge-Kutta method (MATLAB) with step-size  $h = 10^{-8}$  to solve the Vano 4-D competitive biological chaotic systems (4) and (5), when the active nonlinear feedback control law (8) is implemented.

We take the positive gain constants as  $k_i = 5$  for i = 1, 2, 3, 4.

We take the initial conditions of the master system (4) as

$$x_1(0) = 2.1, x_2(0) = 6.5, x_3(0) = 9.1, x_4(0) = 1.8$$
 (12)

We take the initial conditions of the slave system (5) as

$$y_1(0) = 10.3, y_2(0) = 2.4, y_3(0) = 5.6, y_4(0) = 7.4$$
 (13)

Figures 5-8 show the complete synchronization of the Vano 4-D competitive biological chaotic systems (4) and (5). Figure 9 shows the time-history of the synchronization errors  $e_1, e_2, e_3, e_4$ .




Figure 5. Complete synchronization of the states  $x_1$  and  $y_1$ 





Figure 6. Complete synchronization of the states  $x_2$  and  $y_2$ 

Figure 7. Complete synchronization states  $x_3$  and  $y_3$ 






Figure 8. Complete synchronization of the states  $x_4$  and  $y_4$ 

Figure 9. Time-history of the synchronization errors  $e_1, e_2, e_3, e_4$ 

### 5. Conclusions

In 2005, Sprott, Wildenberg and Azizi found a high-dimensional Lotka-Volterra multi-species competitive model that exhibits spatiotemporal chaos. In 2006, Vano, Wildenberg, Anderson, Noel and Sprott discovered chaos in basic Lotka-Volterra models of four competing species. In this paper, we applied active control method to derive new results for the global chaos synchronization of Lotka-Volterra biological systems with four competing species discovered by Vano, Wildenberg, Anderson, Noel and Sprott. MATLAB plots were given to illustrate chaos in the Vano competitive biological system and also the global chaos synchronization of the Vano competitive biological systems via active control method.

## References

- 1. Azar, A. T., and Vaidyanathan, S., Chaos Modeling and Control Systems Design, Studies in Computational Intelligence, Vol. 581, Springer, New York, USA, 2015.
- 2. Azar, A. T., and Vaidyanathan, S., Computational Intelligence Applications in Modeling and Control, Studies in Computational Intelligence, Vol. 575, Springer, New York, USA, 2015.
- 3. Lorenz, E. N., Deterministic nonperiodic flow, Journal of the Atmospheric Sciences, 1963, 20, 130-141.

- 4. Rössler, O. E., An equation for continuous chaos, Physics Letters A, 1976, 57, 397-398.
- 5. Arneodo, A., Coullet, P., and Tresser, C., Possible new strange attractors with spiral structure, Communications in Mathematical Physics, 1981, 79, 573-579.
- 6. Sprott, J. C., Some simple chaotic flows, Physical Review E, 1994, 50, 647-650.
- 7. Chen, G., and Ueta, T., Yet another chaotic attractor, International Journal of Bifurcation and Chaos, 1999, 9, 1465-1466.
- 8. Lü, J., and Chen, G., A new chaotic attractor coined, International Journal of Bifurcation and Chaos, 2002, 12, 659-661.
- 9. Cai, G., and Tan, Z., Chaos synchronization of a new chaotic system via nonlinear control, Journal of Uncertain Systems, 2007, 1, 235-240.
- 10. Tigan, G., and Opris, D., Analysis of a 3D chaotic system, Chaos, Solitons and Fractals, 2008, 36, 1315-1319.
- 11. Sundarapandian, V., and Pehlivan, I., Analysis, control, synchronization and circuit design of a novel chaotic system, Mathematical and Computer Modelling, 2012, 55, 1904-1915.
- 12. Sundarapandian, V., Analysis and anti-synchronization of a novel chaotic system via active and adaptive controllers, Journal of Engineering Science and Technology Review, 2013, 6, 45-52.
- 13. Vaidyanathan, S., A new six-term 3-D chaotic system with an exponential nonlinearity, Far East Journal of Mathematical Sciences, 2013, 79, 135-143.
- 14. Vaidyanathan, S., Analysis and adaptive synchronization of two novel chaotic systems with hyperbolic sinusoidal and cosinusoidal nonlinearity and unknown parameters, Journal of Engineering Science and Technology Review, 2013, 6, 53-65.
- 15. Vaidyanathan, S., A new eight-term 3-D polynomial chaotic system with three quadratic nonlinearities, Far East Journal of Mathematical Sciences, 2014, 84, 219-226.
- 16. Vaidyanathan, S., Analysis, control and synchronisation of a six-term novel chaotic system with three quadratic nonlinearities, International Journal of Modelling, Identification and Control, 2014, 22, 41-53.
- 17. Vaidyanathan, S., and Madhavan, K., Analysis, adaptive control and synchronization of a seven-term novel 3-D chaotic system, International Journal of Control Theory and Applications, 2013, 6, 121-137.
- 18. Vaidyanathan, S., Analysis and adaptive synchronization of eight-term 3-D polynomial chaotic systems with three quadratic nonlinearities, European Physical Journal: Special Topics, 2014, 223, 1519-1529.
- 19. Vaidyanathan, S., Volos, C., Pham, V. T., Madhavan, K., and Idowu, B. A., Adaptive backstepping control, synchronization and circuit simulation of a 3-D novel jerk chaotic system with two hyperbolic sinusoidal nonlinearities, Archives of Control Sciences, 2014, 24, 257-285.
- 20. Vaidyanathan, S., Generalised projective synchronisation of novel 3-D chaotic systems with an exponential non-linearity via active and adaptive control, International Journal of Modelling, Identification and Control, 2014, 22, 207-217.
- 21. Vaidyanathan, S., and Azar, A.T., Analysis and control of a 4-D novel hyperchaotic system, Studies in Computational Intelligence, 2015, 581, 3-17.
- 22. Vaidyanathan, S., Volos, C., Pham, V.T., and Madhavan, K., Analysis, adaptive control and synchronization of a novel 4-D hyperchaotic hyperjerk system and its SPICE implementation, Archives of Control Sciences, 2015, 25, 135-158.
- 23. Vaidyanathan, S., Volos, C., and Pham, V.T., Hyperchaos, adaptive control and synchronization of a novel 5-D hyperchaotic system with three positive Lyapunov exponents and its SPICE implementation, Archives of Control Sciences, 2014, 24, 409-446.
- 24. Vaidyanathan, S., A ten-term novel 4-D hyperchaotic system with three quadratic nonlinearities and its control, International Journal of Control Theory and Applications, 2013, 6, 97-109.
- 25. Vaidyanathan, S., Analysis, properties and control of an eight-term 3-D chaotic system with an exponential nonlinearity, International Journal of Modelling, Identification and Control, 2015, 23, 164-172.
- 26. Vaidyanathan, S., Azar, A.T., Rajagopal, K., and Alexander, P., Design and SPICE implementation of a 12-term novel hyperchaotic system and its synchronisation via active control, International Journal of Modelling, Identification and Control, 2015, 23, 267-277.
- 27. Vaidyanathan, S., Qualitative analysis, adaptive control and synchronization of a seven-term novel 3-D chaotic system with a quartic nonlinearity, International Journal of Control Theory and Applications, 2014, 7, 1-20.
- 28. Vaidyanathan, S., Qualitative analysis and control of an eleven-term novel 4-D hyperchaotic system with two quadratic nonlinearities, International Journal of Control Theory and Applications, 2014, 7, 35-47.
- 29. Vaidyanathan, S., and Pakiriswamy, S., A 3-D novel conservative chaotic system and its generalized

- projective synchronization via adaptive control, Journal of Engineering Science and Technology Review, 2015, 8, 52-60.
- 30. Vaidyanathan, S., Volos, C.K., and Pham, V.T., Analysis, adaptive control and adaptive synchronization of a nine-term novel 3-D chaotic system with four quadratic nonlinearities and its circuit simulation, Journal of Engineering Science and Technology Review, 2015, 8, 181-191.
- 31. Vaidyanathan, S., Rajagopal, K., Volos, C.K., Kyprianidis, I.M., and Stouboulos, I.N., Analysis, adaptive control and synchronization of a seven-term novel 3-D chaotic system with three quadratic nonlinearities and its digital implementation in LabVIEW, Journal of Engineering Science and Technology Review, 2015, 8, 130-141.
- 32. Pham, V.T., Volos, C.K., Vaidyanathan, S., Le, T.P., and Vu, V.Y., A memristor-based hyperchaotic system with hidden attractors: Dynamics, synchronization and circuital emulating, Journal of Engineering Science and Technology Review, 2015, 8, 205-214.
- 33. Pham, V.T., Volos, C.K., and Vaidyanathan, S., Multi-scroll chaotic oscillator based on a first-order delay differential equation, Studies in Computational Intelligence, 2015, 581, 59-72.
- 34. Vaidyanathan, S., Volos, C.K., Kyprianidis, I.M., Stouboulos, I.N., and Pham, V.T., Analysis, adaptive control and anti-synchronization of a six-term novel jerk chaotic system with two exponential nonlinearities and its circuit simulation, Journal of Engineering Science and Technology Review, 2015, 8, 24-36.
- 35. Vaidyanathan, S., Volos, C.K., and Pham, V.T., Analysis, control, synchronization and SPICE implementation of a novel 4-D hyperchaotic Rikitake dynamo system without equilibrium, Journal of Engineering Science and Technology Review, 2015, 8, 232-244.
- 36. Sampath, S., Vaidyanathan, S., Volos, C.K., and Pham, V.T., An eight-term novel four-scroll chaotic system with cubic nonlinearity and its circuit simulation, Journal of Engineering Science and Technology Review, 2015, 8, 1-6.
- 37. Vaidyanathan, S., A 3-D novel highly chaotic system with four quadratic nonlinearities, its adaptive control and anti-synchronization with unknown parameters, Journal of Engineering Science and Technology Review, 2015, 8, 106-115.
- 38. Vaidyanathan, S., Pham, V.-T., and Volos, C. K., A 5-D hyperchaotic Rikitake dynamo system with hidden attractors, European Physical Journal: Special Topics, 2015, 224, 1575-1592.
- 39. Pham, V.-T., Vaidyanathan, S., Volos, C. K., and Jafari, S., Hidden attractors in a chaotic system with an exponential nonlinear term, European Physical Journal: Special Topics, 2015, 224, 1507-1517.
- 40. Vaidyanathan, S., Hyperchaos, qualitative analysis, control and synchronisation of a ten-term 4-D hyperchaotic system with an exponential nonlinearity and three quadratic nonlinearities, International Journal of Modelling, Identification and Control, 2015, 23, 380-392.
- 41. Vaidyanathan, S., and Azar, A. T., Analysis, control and synchronization of a nine-term 3-D novel chaotic system, Studies in Computational Intelligence, 2015, 581, 19-38.
- 42. Vaidyanathan, S., and Volos, C., Analysis and adaptive control of a novel 3-D conservative no-equilibrium chaotic system, Archives of Control Sciences, 2015, 25, 279-299.
- 43. Pehlivan, I., Moroz, I. M., and Vaidyanathan, S., Analysis, synchronization and circuit design of a novel butterfly attractor, Journal of Sound and Vibration, 2014, 333, 5077-5096.
- 44. Pham, V. T., Volos, C., Jafari, S., Wang, X., and Vaidyanathan, S., Hidden hyperchaotic attractor in a novel simple memristic neural network, Optoelectronics and Advanced Materials Rapid Communications, 2014, 8, 1157-1163.
- 45. Sundarapandian, V., Output regulation of Van der Pol oscillator, Journal of the Institution of Engineers (India): Electrical Engineering Division, 88, 20-24, 2007.
- 46. Sundarapandian, V., Output regulation of the Lorenz attractor, Far East Journal of Mathematical Sciences, 2010, 42, 289-299.
- 47. Vaidyanathan, S., and Rajagopal, K., Anti-synchronization of Li and T chaotic systems by active nonlinear control, Communications in Computer and Information Science, 2011, 198, 175-184.
- 48. Vaidyanathan, S., and Rasappan, S., Global chaos synchronization of hyperchaotic Bao and Xu systems by active nonlinear control, Communications in Computer and Information Science, 2011, 198, 10-17.
- 49. Vaidyanathan, S., Output regulation of the unified chaotic system, Communications in Computer and Information Science, 2011, 198, 1-9.
- 50. Vaidyanathan, S., and Rajagopal, K., Global chaos synchronization of hyperchaotic Pang and Wang systems by active nonlinear control, 2011, 198, 84-93.
- 51. Vaidyanathan, S., Hybrid chaos synchronization of Liu and Lu systems by active nonlinear control, Communications in Computer and Information Science, 2011, 204, 1-10.

- 52. Sarasu, P., and Sundarapandian, V., Active controller design for generalized projective synchronization of four-scroll chaotic systems, International Journal of Systems Signal Control and Engineering Application, 2011, 4, 26-33.
- 53. Vaidyanathan, S., and Rasappan, S., Hybrid synchronization of hyperchaotic Qi and Lu systems by nonlinear control, Communications in Computer and Information Science, 2011, 131, 585-593.
- 54. Vaidyanathan, S., and Rajagopal, K., Hybrid synchronization of hyperchaotic Wang-Chen and hyperchaotic Lorenz systems by active non-linear control, International Journal of Systems Signal Control and Engineering Application, 2011, 4, 55-61.
- 55. Vaidyanathan, S., Output regulation of Arneodo-Coullet chaotic system, Communications in Computer and Information Science, 2011, 133, 98-107.
- 56. Sarasu, P., and Sundarapandian, V., The generalized projective synchronization of hyperchaotic Lorenz and hyperchaotic Qi systems via active control, International Journal of Soft Computing, 2011, 6, 216-223.
- 57. Vaidyanathan, S., and Pakiriswamy, S., The design of active feedback controllers for the generalized projective synchronization of hyperchaotic Qi and hyperchaotic Lorenz systems, Communications in Computer and Information Science, 2011, 245, 231-238.
- 58. Sundarapandian, V., and Karthikeyan, R., Hybrid synchronization of hyperchaotic Lorenz and hyperchaotic Chen systems via active control, Journal of Engineering and Applied Sciences, 2012, 7, 254-264.
- 59. Vaidyanathan, S., and Pakiriswamy, S., Generalized projective synchronization of double-scroll chaotic systems using active feedback control, Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2012, 84, 111-118.
- 60. Pakiriswamy, S., and Vaidyanathan, S., Generalized projective synchronization of three-scroll chaotic systems via active control, Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2012, 85, 146-155.
- 61. Karthikeyan, R., and Sundarapandian, V., Hybrid chaos synchronization of four-scroll systems via active control, Journal of Electrical Engineering, 2014, 65, 97-103.
- 62. Vaidyanathan, S., Azar, A. T., Rajagopal, K., and Alexander, P., Design and SPICE implementation of a 12-term novel hyperchaotic system and its synchronisation via active control, International Journal of Modelling, Identification and Control, 2015, 23, 267-277.
- 63. Yassen, M. T., Chaos synchronization between two different chaotic systems using active control, Chaos, Solitons and Fractals, 2005, 23, 131-140.
- 64. Jia, N., and Wang, T., Chaos control and hybrid projective synchronization for a class of new chaotic systems, Computers and Mathematics with Applications, 2011, 62, 4783-4795.
- 65. Vaidyanathan, S., and Rajagopal, K., Global chaos synchronization of Lu and Pan systems by adaptive nonlinear control, Communication in Computer and Information Science, 2011, 205, 193-202.
- 66. Vaidyanathan, S., Adaptive controller and synchronizer design for the Qi-Chen chaotic system, Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunication Engineering, 2012, 85, 124-133.
- 67. Sundarapandian, V., Adaptive control and synchronization design for the Lu-Xiao chaotic system, Lectures on Electrical Engineering, 2013, 131, 319-327.
- 68. Vaidyanathan, S., Analysis, control and synchronization of hyperchaotic Zhou system via adaptive control, Advances in Intelligent Systems and Computing, 2013, 177, 1-10.
- 69. Vaidyanathan, S., and Rajagopal, K., Global chaos synchronization of Lü and Pan systems by adaptive nonlinear control, Communications in Computer and Information Science, 2011, 205, 193-202.
- 70. Sundarapandian, V., and Karthikeyan, R., Anti-synchronization of Lü and Pan systems by adaptive nonlinear control, European Journal of Scientific Research, 2011, 64, 94-106.
- 71. Sundarapandian, V., and Karthikeyan, R., Anti-synchronization of hyperchaotic Lorenz and hyperchaotic Chen systems by adaptive control, International Journal of Systems Signal Control and Engineering Application, 2011, 4, 18-25.
- 72. Sundarapandian, V., and Karthikeyan, R., Adaptive anti-synchronization of uncertain Tigan and Li systems, Journal of Engineering and Applied Sciences, 2012, 7, 45-52.
- 73. Sarasu, P., and Sundarapandian, V., Generalized projective synchronization of three-scroll chaotic systems via adaptive control, European Journal of Scientific Research, 2012, 72, 504-522.
- 74. Vaidyanathan, S., and Rajagopal, K., Global chaos synchronization of hyperchaotic Pang and hyperchaotic Wang systems via adaptive control, International Journal of Soft Computing, 2012, 7, 28-37.
- 75. Sarasu, P., and Sundarapandian, V., Generalized projective synchronization of two-scroll systems via adaptive control, International Journal of Soft Computing, 2012, 7, 146-156.

- 76. Sarasu, P., and Sundarapandian, V., Adaptive controller design for the generalized projective synchronization of 4-scroll systems, International Journal of Systems Signal Control and Engineering Application, 2012, 5, 21-30.
- 77. Vaidyanathan, S., Anti-synchronization of Sprott-L and Sprott-M chaotic systems via adaptive control, International Journal of Control Theory and Applications, 2012, 5, 41-59.
- 78. Vaidyanathan, S., and Pakiriswamy, S., Generalized projective synchronization of six-term Sundarapandian chaotic systems by adaptive control, International Journal of Control Theory and Applications, 2013, 6, 153-163.
- 79. Vaidyanathan, S., and Pakiriswamy, S., Adaptive controller design for the generalized projective synchronization of circulant chaotic systems with unknown parameters, International Journal of Control Theory and Applications, 2014, 7, 55-74.
- 80. Rasappan, S., and Vaidyanathan, S., Hybrid synchronization of n-scroll chaotic Chua circuits using adaptive backstepping control design with recursive feedback, Malaysian Journal of Mathematical Sciences, 2013, 7, 219-246.
- 81. Suresh, R., and Sundarapandian, V., Global chaos synchronization of a family of n-scroll hyperchaotic Chua circuits using backstepping control with recursive feedback, Far East Journal of Mathematical Sciences, 2013, 73, 73-95.
- 82. Rasappan, S., and Vaidyanathan, S., Hybrid synchronization of n-scroll Chua and Lur'e chaotic systems via backstepping control with novel feedback, Archives of Control Sciences, 2012, 22, 343-365.
- 83. Rasappan, S., and Vaidyanathan, S., Global chaos synchronization of WINDMI and Coullet chaotic systems using adaptive backstepping control design, Kyungpook Mathematical Journal, 2014, 54, 293-320.
- 84. Vaidyanathan, S., and Rasappan, S., Global chaos synchronization of n-scroll Chua circuit and Lur'e system using backstepping control design with recursive feedback, Arabian Journal for Science and Engineering, 2014, 39, 3351-3364.
- 85. Vaidyanathan, S., Idowu, B. A., and Azar, A. T., Backstepping controller design for the global chaos synchronization of Sprott's jerk systems, Studies in Computational Intelligence, 2015, 581, 39-58.
- 86. Vaidyanathan, S., Volos, C. K., Rajagopal, K., Kyprianidis, I. M., and Stouboulos, I. N., Adaptive backstepping controller design for the anti-synchronization of identical WINDMI chaotic systems with unknown parameters and its SPICE implementation, Journal of Engineering Science and Technology Review, 2015, 8, 74-82.
- 87. Vaidyanathan, S., and Sampath, S., Global chaos synchronization of hyperchaotic Lorenz systems by sliding mode control, Communications in Computer and Information Science, 2011, 205, 156-164.
- 88. Sundarapandian, V., and Sivaperumal, S., Sliding controller design of hybrid synchronization of four-wing chaotic systems, International Journal of Soft Computing, 2011, 6, 224-231.
- 89. Vaidyanathan, S., and Sampath, S., Anti-synchronization of four-wing chaotic systems via sliding mode control, International Journal of Automation and Computing, 2012, 9, 274-279.
- 90. Vaidyanathan, S., and Sampath, S., Sliding mode controller design for the global chaos synchronization of Coullet systems, Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2012, 84, 103-110.
- 91. Vaidyanathan, S., and Sampath, S., Hybrid synchronization of hyperchaotic Chen systems via sliding mode control, Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2012, 85, 257-266.
- 92. Vaidyanathan, S., Global chaos control of hyperchaotic Liu system via sliding control method, International Journal of Control Theory and Applications, 2012, 5, 117-123.
- 93. Vaidyanathan, S., Sliding mode control based global chaos control of Liu-Liu-Liu-Su chaotic system, International Journal of Control Theory and Applications, 2012, 5, 15-20.
- 94. Vaidyanathan, S., Global chaos synchronisation of identical Li-Wu chaotic systems via sliding mode control, International Journal of Modelling, Identification and Control, 2014, 22, 170-177.
- 95. Vaidyanathan, S., and Azar, A. T., Anti-synchronization of identical chaotic systems using sliding mode control and an application to Vaidyanathan-Madhavan chaotic systems, Studies in Computational Intelligence, 2015, 576, 527-547.
- 96. Vaidyanathan, S., and Azar, A. T., Hybrid synchronization of identical chaotic systems using sliding mode control and an application to Vaidyanathan chaotic systems, Studies in Computational Intelligence, 2015, 576, 549-569.
- 97. Vaidyanathan, S., Sampath, S., and Azar, A. T., Global chaos synchronisation of identical chaotic systems via novel sliding mode control method and its application to Zhu system, International Journal of

- Modelling, Identification and Control, 2015, 23, 92-100.
- 98. Li, H., Liao, X., Li, C., and Li, C., Chaos control and synchronization via a novel chatter free sliding mode control strategy, Neurocomputing, 2011, 74, 3212-3222.
- 99. Vaidyanathan, S., Adaptive synchronization of chemical chaotic reactors, International Journal of ChemTech Research, 2015, 8, 612-621.
- 100. Vaidyanathan, S., Adaptive control of a chemical chaotic reactor, International Journal of PharmTech Research, 2015, 8, 377-382.
- 101. Vaidyanathan, S., Dynamics and control of Brusselator chemical reaction, International Journal of ChemTech Research, 2015, 8, 740-749.
- 102. Vaidyanathan, S., Anti-synchronization of Brusselator chemical reaction systems via adaptive control, International Journal of ChemTech Research, 2015, 8, 759-768.
- 103. Vaidyanathan, S., Dynamics and control of Tokamak system with symmetric and magnetically confined plasma, International Journal of ChemTech Research, 2015, 8, 795-803.
- 104. Vaidyanathan, S., Synchronization of Tokamak systems with symmetric and magnetically confined plasma via adaptive control, International Journal of ChemTech Research, 2015, 8, 818-827.
- 105. Vaidyanathan, S., Adaptive backstepping control of enzymes-substrates system with ferroelectric behaviour in brain-waves, International Journal of PharmTech Research, 2015, 8, 256-261.
- 106. Vaidyanathan, S., Adaptive biological control of generalized Lotka-Volterra three species biological system, International Journal of PharmTech Research, 2015, 8, 622-631.
- 107. Vaidyanathan, S., 3-cells cellular neural network (CNN) attractor and its adaptive biological control, International Journal of PharmTech Research, 2015, 8, 632-640.
- 108. Vaidyanathan, S., Adaptive synchronization of generalized Lotka-Volterra three species biological systems, International Journal of PharmTech Research, 2015, 8, 928-937.
- 109. Vaidyanathan, S., Synchronization of 3-cells cellular neural network (CNN) attractors via adaptive control method, International Journal of PharmTech Research, 2015, 8, 946-955.
- 110. Vaidyanathan, S., Chaos in neurons and adaptive control of Birkhoff-Shaw strange chaotic attractor, International Journal of PharmTech Research, 2015, 8, 956-963.
- 111. Vaidyanathan, S., Adaptive chaotic synchronization of enzymes-substrates system with ferroelectric behaviour in brain waves, International Journal of PharmTech Research, 2015, 8, 964-973.
- 112. Vaidyanathan, S., Lotka-Volterra population biology models with negative feedback and their ecological monitoring, International Journal of PharmTech Research, 2015, 8, 974-981.
- 113. Pham, V.-T., Volos, C. K., Vaidyanathan, S., and Vu, V. Y., A memristor-based hyperchaotic system with hidden attractors: dynamics, synchronization and circuital emulating, Journal of Engineering Science and Technology Review, 2015, 8, 205-214.
- 114. Volos, C. K., Kyprianidis, I. M., Stouboulos, I. N., Tlelo-Cuautle, E., and Vaidyanathan, S., Memristor: A new concept in synchronization of coupled neuromorphic circuits, Journal of Engineering Science and Technology Review, 2015, 8, 157-173.
- 115. Pham, V.-T., Volos, C., Jafari, S., Wang, X., and Vaidyanathan, S., Hidden hyperchaotic attractor in a novel simple memristive neural network, Optoelectronics and Advanced Materials, Rapid Communications, 2014, 8, 1157-1163.
- 116. Volos, C. K., Pham, V.-T., Vaidyanathan, S., Kyprianidis, I. M., and Stouboulos, I. N., Synchronization phenomena in coupled Colpitts circuits, Journal of Engineering Science and Technology Review, 2015, 8, 142-151.
- 117. Sprott, J. C., Wildenberg, J. C., and Azizi, Y., A simple spatiotemporal chaotic Lotka-Volterra model, Chaos, Solitons and Fractals, 2005, 26, 1035-1043.
- 118. Vano, J. A., Wildenberg, J. C., Anderson, M. B., Noel, J. K., and Sprott, J. C., Chaos in low-dimensional Lotka-Volterra models of competition, Nonlinearity, 2006, 19, 2391-2404.
- 119. Lotka, A. J., Elements of Mathematical Biology, Dover Publications, New York, USA, 1958.
- 120. Khalil, H.K., Nonlinear Systems, Prentice Hall, New Jersey, USA, 2001.