



Medicinal plants used for liver disorders based on the Ethnobotanical documents of Iran: A Review

Mohammad Taghi Moradi¹, Majid Asadi-Samani^{1*}, Mahmoud Bahmani², Mehrdad Shahrani³

¹Student Research Committee, Shahrekord University of Medical Sciences, Shahrekord, Iran.

²Razi Herbal Medicines Research Center, Lorestan University of Medical Sciences, Khorramabad, Iran;

³Medical Plants Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran.

Abstract : Liver diseases, still a global health problem, are classified as acute or chronic hepatitis, hepatosis and cirrhosis. A number of medicinal combinations in Iranian traditional medicine are commonly used as tonic for liver. This review article reported the plants used to treat liver diseases according to ethnobotany and traditional culture of different regions of Iran. This review article introduced the plants used to treat liver diseases in ethnobotany and traditional culture of different regions of Iran. The key words consisting of traditional medicine, ethnobotany, ethnomedicine, ethnopharmacology, phytopharmacology, phytomedicine, and Iran, accompanied with liver diseases, liver ailments, liver disorders, antihepatotoxic and hepatitis were used to search for relevant publications in PubMed, Web of Science, Scopus, Islamic World Science Citation Center, and Magiran. Overall, 26 medicinal plants from 19 families are used to treat liver diseases specifically in Iranian traditional medicine. The most of presented medicinal plants were from Asteraceae family. Because of the extensive use of traditional medicinal plants and wide acceptance of herbal drugs and traditional medicine, large studies are recommended in pharmacy-and pharmacology-related fields to inform pharmaceutical industries.

Keywords: Liver ailments, Medicinal plants, Traditional culture, Iran.

Introduction

Liver is the largest organ inside the body. Liver helps to save energy and eliminate toxins. Besides that, liver plays a very important role in digestive process and system and metabolism, helps to convert vital micronutrients into usable forms for the body, and fulfills over 500 different functions. Liver diseases are a wide spectrum of disorders and failures that cause damage to liver tissue or function. Liver tissue is mainly inflamed by contact with viruses or toxins. These diseases are widely various. The most widely known liver diseases are hepatitis, liver cirrhosis, fatty liver, and bile duct obstruction. Hepatitis is prevalent worldwide, and unfortunately continues to increase in prevalence day-to-day. This disease is widely diagnosed in Iran, as well. Literally, hepatitis means inflammation of liver. This disease may be developed by various agents, including a large number of drugs, different viruses, autoimmune diseases, and genetic disorders, and cause dysfunction of liver and other organs of the body. Moreover, hepatic diseases can be limiting or lead to fibroids, cirrhosis, or hepatocarcinoma. Cirrhosis is a chronic liver disease that leads to the destruction of liver natural structure

because of increased fibrous tissue. Cirrhosis can be due to liver diseases such as hepatitis B, alcoholic liver disease (a diseases due to excessive use of alcohol), and autoimmune diseases. Fatty liver is another prevalent liver disease which is usually developed because of inappropriate eating habits and physical inactivity. If left untreated, fatty liver causes many health-related problems. Fatty liver is the most prevalent liver disease worldwide. At least 30% of Iran's population are suffering from fatty liver [1-3]. Bile duct obstruction is one of the diseases that prevents bile from entering into bowel. In patients with bile duct obstruction, the active substance of bile, bilirubin, accumulates in blood instead of transporting in bile duct. An investigation of causes of mortality worldwide indicates that mortality from liver diseases continue to increase compared to other reasons for mortality. As with other countries, liver diseases are becoming more and more frequent in Iran [4,5]. There are many debates about treatments of choice for liver diseases because conventional or synthetic drugs used to treat these diseases lead occasionally to serious side effects [6].

Since ancient times, human beings have used plants in the treatment of various ailments because they seem to be less toxic and hence less likely to cause side effects [7]. Many of the available drugs have been directly or indirectly derived from medicinal plants. Recent interest in natural therapies and alternative medicines has made researchers consider traditional herbal medicine [8-16]. In the past decade, attention has been focused on scientific investigation of traditional, plant-based drugs for the treatment of various diseases [17-23, 83-112]. Because of effectiveness, presumably minimal side effects, and relatively low costs, herbal drugs are widely recommended, even when their biologically active compounds have not been fully identified [5, 83-95]. In this regard, ethnobotany is referred to the science of how people from a culture, ethnicity, or a region use the native plants of their regions. The findings of ethnobotanical studies can be highly useful in other disciplines, particularly pharmacognosy, and may help to draw native people's knowledge about the use of plants to produce commercial products [20-25]. Therefore, gathering data on medicinal plants and the methods of using these plants in different areas is a valuable medical resource at present time, helping to discover new drugs [26-33].

Iranians have been using herbal medicines to treat some common diseases. Many studies have been conducted to recommend new wildy occurring medicinal plants in different regions of Iran and other countries [34-42]. Furthermore, in previous studies, we have investigated the therapeutic effects of these plants on liver [43, 44], cardiovascular [45, 46] and neurological [47] diseases, infertility [48, 49], hyperlipidemia [50], cancer [51, 52], and some other disorders [53-65]. Iran with long cultural, ethnic, climatic and weather diversity is an exemplary case of ethonobotanical investigations. Therefore, this study was conducted to report the plants that are used to relieve and treat liver diseases in traditional culture and ethnobotany of Iran's different regions.

For this study, the key words including ethnobotany, phytomedicine, ethnomedicine, phytopharmacology, ethnopharmacology, traditional medicine, and Iran combined with liver diseases, liver ailments, liver disorders, antihepatotoxic and hepatitis were searched for in Web of Science, PubMed, Scopus, ISC, and Magiran. Duplicate articles and the articles with no accessible full text were excluded from analysis.

The present study indicated that Iran's people from different cultures and regions such as Turkmen Sahra region, Kerman, Fars, Hormozgan, Razavi Khorasan and Isfahan province use 26 medicinal plants from 19 families according to traditional medicine to treat or protect liver diseases specifically. Most of these plants were from Asteraceae families (figure1). Table 1 gives further data on the medicinal plants effective on liver diseases.




Figure 1: The number of medicinal species effective on liver diseases in each family

Table 1: Medicinal plants effective on liver diseases in different subcultures and regions of Iran

No.	Scientific name	Family	Local name	Used organs	Regions	Ref.
1	<i>Apium graveolens</i> L.	Apiaceae	Karafs	Seed	Turkmen Sahra, north of Iran	66
2	<i>Caccinia macranthera</i> (Banks & Sol.)	Boraginaceae	Ghara-dnden Zendan-ghara	Root	Turkmen Sahra, north of Iran	66
3	<i>Rosa canina</i> L.	Rosaceae	Eit-butni	Fruit	Turkmen Sahra, north of Iran	66
4	<i>Berberis integerrima</i> Bunge	Berberidaceae	Zereshk	Fruit	Kerman Province and Razavi Khorasan province	67, 68
5	<i>Fumaria parviflora</i> Lam.	Fumariaceae	Shatare gholriz	Whole plant	Kerman Province	67
6	<i>Berberis vulgaris</i> L.	Berberidaceae	Zereshk	Fruit	Arjan, Fars Province	69
7	<i>Blepharis persica</i> (Burm.) O. Kuntze	Acanthaceae	Joojadoo, kisedokhtan	Leaves, seeds, root	Hormozgan province	70
8	<i>Centaurium tenuifolium</i> Fritsch	Gentianaceae	Ghontorion	Flower, leaves	Hormozgan province	70
9	<i>Tecomella undulate</i> (Roxb.) G. Don.	Bignoniaceae	Anare sheytani, anare aboojahl	Whole plant	Hormozgan province	70
10	<i>Cynara scolymus</i> L.	Asteraceae	Kangar Farangi	Aerial parts	Mashhad, Razavi Khorasan province	68
11	<i>Gundelia tournefortii</i> L.	Asteraceae	Kangar	Aerial parts	Mashhad, Razavi Khorasan province	68
12	<i>Silybum marianum</i> (L.) Gaertn	Asteraceae	Khare Maryam	Seed	Mashhad, Razavi Khorasan province	68
13	<i>Berberis sp.</i>	Berberidaceae	Zereshk	Fruit	Mashhad, Razavi Khorasan province	68
14	<i>Descurainia sophia</i> (L.) Webb ex Prantl	Brassicaceae	Khakshir	Seed	Mashhad, Razavi Khorasan province	68
15	<i>Capparis spinosa</i> L.	Capparaceae	Kavar	Fruit- Root	Mashhad, Razavi Khorasan province	68
16	<i>Terminalia chebula</i> Retz.	Combretaceae	Halileh Siah	Fruit	Mashhad, Razavi Khorasan province	68
17	<i>Lupinus luteus</i> L.	Fabaceae	Baghelaye Mesri	Seed	Mashhad, Razavi Khorasan province	68
18	<i>Marrubium vulgare</i> L.	Lamiaceae	Ferasion	Aerial parts	Mashhad, Razavi Khorasan province	68
19	<i>Rheum palmatum</i> L.	Polygonaceae	Rivand Chini	Root	Mashhad, Razavi Khorasan province	68
20	<i>Rheum ribes</i> L.	Polygonaceae	Rivas	Fruit- Petiole	Mashhad, Razavi Khorasan province	68
21	<i>Curcuma zedoaria</i> (Christm.) Roscoe	Zingiberaceae	Zorombad	Root	Mashhad, Razavi Khorasan province	68
22	<i>Camellia sinensis</i> (L.) Kuntze	Theaceae	Chai Sabz	Leaves	Mashhad, Razavi Khorasan province	68
23	<i>Cichorium intybus</i> L.	Asteraceae	Casni	Root, leaf, apical parts	Mobarakeh region, Isfahan province and Arjan, Fars Province	69, 71
24	<i>Cotoneaster nummularium</i>	Rosaceae	Shir khesht	whole plant	Mobarakeh region, Isfahan province	71
25	<i>Linum usitatissimum</i>	Linaceae	Katan, Barzak	Seeds	Mobarakeh region,	71

					Isfahan province	
26	<i>Melilotus officinalis</i> (L.) Pall.	Papilionaceae	Yonjeh zard, Aklyolmolk	Apical parts	Mobarakeh region, Isfahan province	71

In this review article which was conducted to report the plants that are used to relieve and treat liver diseases in traditional culture and ethnobotany of Iran's different regions, twenty seven medicinal plants from 19 families were reported to specifically treat liver diseases in different regions of Iran. This indicates the richness of Iran's traditional medicine, which has long considered the use of nature-based resources to treat different diseases including liver diseases.

Most of the plants presented in this study are from Asteraceae families which contain phenolic compounds and have considerable antioxidant effects. Phenolic compounds such as flavonoids can protect cells against reduced glutathione via increasing antioxidant enzymes' capability (such as glutathione peroxidase). These compounds, with antioxidant properties, can counteract free radicals in the environment and hence prevent their destructive effects. Flavonoids, as antioxidant, free radical- scavenging and antilipoperoxidant agents, are helpful for hepatoprotection.

Since many of these plants contain antioxidant activity, their effects in treating liver diseases can be explained by their antioxidant property. In addition to protecting liver, antioxidants have preventive effects on a wide variety of diseases [72-82]. Therefore, they might be beneficial for patients with other diseases, as well.

Conclusion

Despite encouraging data on possibility of discovering new drugs in the near future, evidence is insufficient on treatment of chronic liver diseases by means of herbal medications. Therefore, herbal medications should be recommended after conduction of more finely-designed clinical trials. Efficient training of patients and physicians about herbal preparations seems necessary.

Conflicts of Interests

There is no any conflict of interest.

References

1. Naderian M, Ebrahimi H, Sohrabpour AA. Prevalence of non-alcoholic fatty liver disease in the Middle Eastern area. What's the exact estimation? *Hepatology* 2016. doi: 10.1002/hep.28586.
2. Amirkalali B, Poustchi H, Keyvani H, Khansari MR, Ajdarkosh H, Maadi M, Sohrabi MR, Zamani F. Prevalence of non-alcoholic fatty liver disease and its predictors in north of Iran. *Iran J Public Health* 2014; 43:1275-83.
3. Mauss S, Berg T, Rockstroh J, Sarrazin C, Wedemeyer H. *Hepatology* 2015. A Clinical Textbook. 2015.
4. Ilyas U, Katare DP, Aeri V, Naseef PP. A review on hepatoprotective and immunomodulatory herbal plants. *Pharmacogn Rev* 2016; 10:66-70.
5. Asadi-Samani M, Kafash-Farkhad N, Azimi N, Fasihi A, Alinia-Ahandani E, Rafieian-Kopaei M. Medicinal plants with hepatoprotective activity in Iranian folk medicine. *Asian Pac J Trop Biomed* 2015; 5:146-57.
6. Kumar CH, Ramesh A, Kumar JNS, Ishaq BM. A review on hepatoprotective activity of medicinal plants. *Int J Pharm Sci Res* 2011; 2: 501-515.
7. Elberry AA, Harraz FM, Ghareib SA, Gabr SA, Nagy AA, Abdel-Sattar E. Methanolic extract of *Marrubium vulgare* ameliorates hyperglycemia and dyslipidemia in streptozotocin-induced diabetic rats. *Int J Diabetes Mellit* 2011; 11: 1877-8.
8. Bahmani M, Rafieian-Kopaei M, Hassanzadazar H, Saki K, Karamati SA, Delfan B. A review on most important herbal and synthetic antihelmintic drugs. *Asian Pac J Trop Med* 2014; 7 (Suppl 1): 29-33.
9. Bahmani M, Rafieian-Kopaei M, Jeloudari M, Eftekhari Z, Delfan B, Zargarani A, et al. A review of the health effects and uses of drugs of plant licorice (*Glycyrrhiza glabra* L.) in Iran. *Asian Pac J Trop Dis* 2014: 847-9.

10. Rafieian-Kopaei M. In Vitro evaluation of antioxidant properties of ten Iranian medicinal plants. *Iran Red Crescent Med J* 2014;16: e10264.
11. Rafieian-Kopaei M, Baradaran A, Rafieian M. Plants antioxidants: From laboratory to clinic. *J Nephrothol* 2013; 2:152-3.
12. Sedighi M, Rafieian-kopaei M, Noori-Ahmadabadi M. *Kelussia odoratissima* Mozaffarian inhibits ileum contractions through voltage dependent and beta adrenergic receptors. *Life Sci* 2012;9:1033–8.
13. Setorki M, Nazari B, Asgary A, Azadbakht L, Rafieian-Kopaei M. Anti atherosclerotic effects of verjuice on hypocholesterolemic rabbits. *Afr J Pharm Pharmacol* 2011; 5: 1038–45.
14. Setorki M, Rafieian-Kopaei M, Merikhi A, Heidarian E, Shahinfard N, Ansari R, et al. Suppressive impact of anethum graveolens consumption on biochemical risk factors of atherosclerosis in hypercholesterolemic rabbits. *Int J Prev Med* 2013; 4:889-95.
15. Bahmani M, Vakili-Saatloo N, Gholami-Ahangaran M, Karamati SA, Banihabib E, Hajigholizadeh G, et al. A comparison study on the anti-leech effects of onion (*Allium cepa*) and ginger (*Zingiber officinale*) with levamisole and triclabendazole. *J HerbMed Pharmacol* 2013; 2:1-3.
16. Bahmani M, Vakili Saatloo N, Maghsoudi R, Momtaz H, Saki K, Kazemi-Ghoshchi B, et al. A comparative study on the effect of ethanol extract of wild *Scrophularia deserti* and streptomycin on *Brucella melitensis*. *J HerbMed Pharmacol* 2013; 2:17-20.
17. Bahmani M, Tajeddini P, Ezatpour B, Rafieian-Kopaei M, Naghdi N, Asadi-Samani M. Ethenobotanical study of medicinal plants against parasites detected in Shiraz, southern part of Iran. *Der Pharm Lett* 2016; 8: 153-60.
18. Bahmani M, Karamati SA, Hassanzadazar H, Forouzan S, Rafieian-Kopaei M, Kazemi-Ghoshchi B, et al. Ethnobotanic study of medicinal plants in Urmia city: identification and traditional using of antiparasites plants. *Asian Pac J Trop Dis* 2014; 4(Suppl 2): 906-10
19. Bahmani M, Eftekhari Z. An ethnoveterinary study of medicinal plants in treatment of diseases and syndromes of herd dog in southern regions of Ilam province, Iran. *Comp Clin Path* 2012; 22: 403-7.
20. Ebrahimie M, Bahmani M, Shirzad H, Rafieian-Kopaei M, Saki K. A review study on the effect of iranian herbal medicines on opioid withdrawal syndrome. *J Evid Based Complementary Altern Med* 2015; 20:302-9.
21. Gharipour M, Ramezani MA, Sadeghi M, Khosravi A, Masjedi M, Khosravi-Boroujeni H, Rafieian-Kopaei M, Sarrafzadegan N. Sex based levels of C-reactive protein and white blood cell count in subjects with metabolic syndrome: Isfahan Healthy Heart Program. *J Res Med Sci* 2013; 18:467-72.
22. Rouhi-Boroujeni H, Gharipour M, Asadi-Samani M, Rouhi-Boroujeni H. The protective effects of ginger on the development of coronary atherosclerosis: An experimental animal study. *Der Pharma Lett* 2016;8:105-9.
23. Mirhosseini M, Baradaran A, Rafieian-Kopaei M. *Anethum graveolens* and hyperlipidemia: A randomized clinical trial. *J Res Med Sci* 2014; 19:758-61.
24. Levy C, Seeff LD, Lindor KD. Use of herbal supplements for chronic liver disease. *Clin Gastroenterol Hepatol* 2004; 2: 947-956.
25. Rafieian-Kopaei M, Nasri H. Comment on "Carbamylated erythropoietin ameliorates cyclosporine nephropathy without stimulating erythropoiesis". *Cell Transplant* 2014; 23:1673-4.
26. Parsaei P, Bahmani M, Karimi M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. A review of analgesic medicinal plants in Iran. *Der Pharm Lett* 2016; 8: 43-51.
27. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M, Tajeddini P, Sepehri-Boroujeni M. Identification of medicinal plants effective on common cold: An ethnobotanical study of Shiraz, South Iran. *Der Pharm Lett* 2016; 8: 90-7.
28. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. A review of therapeutic and pharmacological effects of thymol. *Der Pharm Lett* 2016; 8: 150-4.
29. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. The most important medicinal plants effective on constipation by the ethnobotanical documents in Iran: A review. *Der Pharm Lett* 2016; 8: 188-94.
30. Rouhi-Boroujeni H, Mosharraf S, Gharipour M, Asadi-Samani M, Rouhi-Boroujeni H. Anti-hyperlipidemic effects of sumac (*Rhus coriaria* L.): Can sumac strengthen anti-hyperlipidemic effect of statins? *Der Pharma Lett* 2016;8:143-7.
31. Jivad N, Bahmani M, Asadi-Samani M. A review of the most important medicinal plants effective on wound healing on ethnobotany evidence of Iran. *Der Pharm Lett* 2016; 8: 353-7.

32. Jivad N, Asadi-Samani M, Moradi MT. The most important medicinal plants effective on migraine: A review of ethnobotanical studies in Iran. *Der Pharm Chem* 2016; 8: 462-66.
33. Rouhi-Boroujeni H, Asadi-Samani M, Moradi MT. A review of the medicinal plants effective on headache based on the ethnobotanical documents of Iran. *Der Pharm Lett* 2016; 8: 37-42.
34. Madihi Y, Merrikhi A, Baradaran A, Ghobadi S, Shahinfard N, Ansari R, et al. Bioactive components and the effect of hydroalcoholic extract of *Vaccinium myrtillus* on postprandial atherosclerosis risk factors in rabbits. *Pak J Med Sci* 2013; 29 (Suppl 1): 384-9.
35. Hasanpour Z, Nasri H, Rafieian-Kopaei M, Ahmadi A, Baradaran A, Nasri P, et al. Paradoxical effects of atorvastatin on renal tubular cells an experimental investigation. *Iran J Kidney Dis* 2015; 9: 215-20.
36. Rafieian-Kopaei M, Shahinfard N, Rouhi-Boroujeni H, Gharipour M, Darvishzadeh-Boroujeni P. Effects of *Ferulago angulata* extract on serum lipids and lipid peroxidation. *Evid Based Complement Alternat Med* 2014; 680856. doi: 10.1155/2014/680856.
37. Rafieian-Kopaei M, Asgary S, Adelnia A, Setorki M, Khazaei M, Kazemi S. The effects of cornelian cherry on atherosclerosis and atherogenic factors in hypercholesterolemic rabbits. *J Med Plants Res* 2011; 5: 2670-6.
38. Rabiei Z, Rafieian-Kopaei M, Heidarian E, Saghaei E, Mokhtari S. Effects of *Zizyphus jujube* extract on memory and learning impairment induced by bilateral electric lesions of the nucleus Basalis of Meynert in rat. *Neurochem Res* 2014; 39: 353-60.
39. Rabiei Z, Rafieian-Kopaei M. Neuroprotective effect of pretreatment with *Lavandula officinalis* ethanolic extract on blood-brain barrier permeability in a rat stroke model. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 421-6.
40. Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. Iran's medicinal plants effective on fever in children: A review. *Der Pharm Lett* 2016; 8: 129-134.
41. Ahmadipour S, Ahmadipour Sh, Mohsenzadeh A, Asadi-Samani M. The importance of some native medicinal plants of Iran effective on gastrointestinal disorders in children: A review. *Der Pharm Lett* 2016; 8: 61-6.
42. Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. A review of the most important medicinal plants effective on cough in children and adults. *Der Pharm Lett* 2016; 8: 90-96.
43. Heidarian E, Movahed-Mohammadi G, Saffari J, Ghatreh-Samani K. Protective effect of hydroethanolic extract of cress against hepatotoxicity due to acetaminophen in rats. *J Mazandaran Univ Med Sci* 2013; 23:78-90.
44. Asadi-Samani M, Rafieian-Kopaei M, Azimi N. *Gundelia*: a systematic review of medicinal and molecular perspective. *Pak J Biol Sci* 2013; 16, 1238-1247.
45. Ghatreh Samani K, Farrokhi E, Mohandes Samani N. Elaidic acid effects on osteonectin gene expression in vascular smooth muscle cells. *J Zanzan Univ Med Sci* 2014; 23:103-11.
46. Ghanavati T, Ghatreh-Samani K, Farrokhi E, Heydarian E, Nikookar M. Effect of gallic acid on Alkaline phosphatase gene expression in vascular smooth muscle cells. *J Mazandaran Univ Med Sci* 2015; 25:17-25.
47. Rabiei Z, Bigdeli MR, Asadi-Saamni M. The effect of dietary virgin olive oil on brain lipid levels and brain edema in rat stroke models. *ZUMS Journal* 2013; 21:56-64.
48. Kooti W, Ghasemiboroon M, Ahangarpour A, Hardani A, Amirzargar A, Asadi-Samani M. The effect of hydro-alcoholic extract of celery on male rats in fertility control and sex ratio of rat offspring. *J Babol Univ Med Sci* 2014; 16:43-9.
49. Bahmani M, Shirzad H, Rafieian S, Rafieian-Kopaei M. *Silybum marianum*: Beyond Hepatoprotection. *J Evid Based Complementary Altern Med* 2015;20:292-301.
50. Kooti W, Ghasemiboroon M, Asadi-Samani M, Ahangarpour A, Noori Ahmad Abadi M, Afrisham R, et al. The effects of hydro-alcoholic extract of celery on lipid profile of rats fed a high fat diet. *Adv Environ Biol* 2014; 8: 325-330.
51. Asadi-Samani M, Kooti W, Aslani E, Shirzad H. A Systematic review of Iran's medicinal plants with anticancer effects. *J Evid Based Complementary Altern Med* 2016; 21: 143-53.
52. Samarghandian S, Asadi-Samani M, Farkhondeh T, Bahmani M. Assessment the effect of saffron ethanolic extract (*Crocus sativus* L.) on oxidative damages in aged male rat liver. *Der Pharm Lett* 2016; 8: 283-90.
53. Ghanavati T, Ghatreh-Samani K, Farrokhi E, Heydarian E, Nikookar M. Effect of gallic acid on Alkaline phosphatase gene expression in vascular smooth muscle cells. *J Mazandaran Univ Med Sci* 2015;25:17-25.

54. Kooti W, Ahangarpour A, Ghasemiboroon M, Sadeghnezhadi S, Abbasi Z, Shanaki Z, et al. Effect of *Apium graveolens* leaf extract on serum level of thyroid hormones in male rat. *J Babol Univ Med Sci* 2014; 16: 44-50.
55. Moradi M-T, Rafieian-Kopaei M, Karimi A. A review study on the effect of Iranian herbal medicines against in vitro replication of herpes simplex virus. *Avicenna J Phytomed* 2016; [Epub ahead of print].
56. Moradi MT, Karimi A, Alidadi S. In vitro antiproliferative and apoptosis-inducing activities of crude ethyle alcohole extract of *Quercus brantii* L. acorn and subsequent fractions. *Chin J Nat Med* 2016; 14:196-202.
57. Bahmani M, Mirhoseini M, Shirzad H, Sedighi M, Shahinfard N, Rafieian-Kopaei M. A review on promising natural agents effective on hyperlipidemia. *J Evid Based Complementary Altern Med* 2015; 20: 228-38.
58. Bahmani M, Sarrafchi A, Shirzad H, Rafieian-Kopaei M. Autism: Pathophysiology and Promising Herbal Remedies. *Curr Pharm Des* 2016; 22: 277-285.
59. Sarrafchi A, Bahmani M, Shirzad H, Rafieian-Kopaei M. Oxidative stress and Parkinson's disease: New hopes in treatment with herbal antioxidants. *Curr Pharm Des* 2015; 22(2): 238-46.
60. Baharvand-Ahmadi B, Bahmani M, Naghdi N, Saki K, Baharvand-Ahmadi S, Rafieian-Kopaei M. Medicinal plants used to treat infectious and non-infectious diseases of skin and skin appendages in city of Urmia, northwest Iran. *Der Pharm Lett* 2015; 7: 189-196.
61. Moradi MT, Karimi A, Alidadi S, Saedi-Marghmaleki M. In vitro Anti-adenovirus activity of pomegranate (*Punica granatum* L.) peel extract. *Adv Herbal Med* 2015; 1:1-8.
62. Karimi A, Moradi M-T. Total phenolic compounds and in vitro antioxidant potential of crude methanol extract and the correspond fractions of *Quercus brantii* L. acorn. *J Herbmед Pharmacol* 2015; 4: 35-9
63. Moradi MT, Gatreh-Samani K, Farrokhi E, Rafieian-Koupaei M, Karimi A. The effects of purslane (*Portulaca oleracea* L.) on serum level of lipids, lipoproteins and paraoxanase 1(PON1) activity in hypercholesterolemia patients. *Life Sci J* 2012; 9: 5548-52.
64. Karimi A, Moradi MT, Saeedi M, Asgari S, Rafieian-Kopaei M. Antiviral activity of *Quercus persica* L.: High efficacy and low toxicity. *Adv Biomed Res* 2013; 2: 36.
65. Moradi MT, Rafieian-Koupaei M, Imani-Rastabi R, Nasiri J, Shahrani M, Rabiei Z, et al. Antispasmodic effects of yarrow (*Achillea millefolium* L.) extract in the isolated ileum of rat. *Afr J Tradit Complement Altern Med* 2013;10:499-503.
66. Ghorbani A. Studies on pharmaceutical ethnobotany in the region of Turkmen Sahara, north of Iran (Part 1): general results. *Journal of ethnopharmacology*. 2005;102: 58-68.
67. Mahdavi Maymand Z, Mirtajodin M. The collection and identification of the some plant species of Kerman province. *J Herbal Drugs* 2010; 1: 1-24.
68. Amiri MS, Joharchi MR. Ethnobotanical investigation of traditional medicinal plants commercialized in the markets of Mashhad, Iran. *Avicenna J Phytomed* 2013; 3: 254.-71.
69. Dolatkhahi M, Dolatkhahi A, Bagher Nejad J. Ethnobotanical study of medicinal plants used in Arjan-Parishan protected area in Fars province of Iran. *Avicenna J Phytomed* 2014; 4: 402-412.
70. Safa O, Soltanipoor MA, Rastegar S, Kazemi M, Dehkordi Kh, Ghannadi A. An ethnobotanical survey on hormozgan province, Iran. *Avicenna J Phytomed* 2013; 3: 64-81.
71. Mardaninejad S, Janghorban M, Vazirpour M. Collection and identification of medicinal plants used by the indigenous people of Mobarakeh (Isfahan), southwestern Iran. *J Herbal Drugs* 2013; 4: 23-32.
72. Sharafati-Chaleshtori R, Rokni N, Rafieian Kopaei M, Drees F, Sharafati-Chaleshtori A, Salehi E. Use of tarragon (*Artemisia Dracunculus*) essential oil as a natural preservative in beef burger. *Ital J Food Sci* 2014; 26: 427-432.
73. Shirani M, Alibabaei Z, Kheiri S, Shirzad H, Taji F, Asgari A, et al. Effect of *Euphorbia helioscopia* extract on acute and chronic pain in mice. *J Babol Univ Med Sci* 2011; 13: 14-8.
74. Randhawa M, Al-Ghamdi M. A review of the pharmaco-therapeutic effects of *Nigella sativa*. *Pak J Med Res*. 2002; 4:77-83.
75. Akhlaghi M, Shabaniyan G, Rafieian-Kopaei M, Parvin N, Saadat M, Akhlaghi M. Citrus aurantium blossom and preoperative anxiety. *Braz J Anaesthesiol* 2011; 61: 702-12.
76. Namjoo A, Nasri H, Talebi-Juneghani A, Baradaran A, Rafieian-Kopaei M. Safety Profile of *Carthamus Tinctorius* L. in Lactation: Brain, Renal and Hepatotoxicity. *Pak J Med Sci* 2013; 29: 378-83.

77. Asgary S, Sahebkar A, Afshani MR, Keshvari M, Haghjooyjavanmard S, Rafieian-Kopaei M. Clinical evaluation of blood pressure lowering, endothelial function improving, hypolipidemic and anti-inflammatory effects of pomegranate juice in hypertensive subjects. *Phytother Res* 2014; 28:193-9.
78. Asgary S, Rafieian-Kopaei M, Shamsi F, Najafi S, Sahebkar A. Biochemical and histopathological study of the anti-hyperglycemic and anti-hyperlipidemic effects of cornelian cherry (*Cornus mas L.*) in alloxan-induced diabetic rats. *J Complement Integr Med* 2014; 11:63-9.
79. Mardani S, Nasri H, Hajian S, Ahmadi A, Kazemi R, Rafieian-Kopaei M. Impact of *Momordica charantia* extract on kidney function and structure in mice. *J Nephropathol* 2014;3:35–40.
80. Rahnema S, Rabiei Z, Alibabaei Z, Mokhtari S, Rafieian-Kopaei M, Deris F. Anti-amnesic activity of *Citrus aurantium* flowers extract against scopolamine-induced memory impairments in rats. *Neurol Sci* 2015; 36:553-60.
81. Karamati SA, Hassanzadazar H, Bahmani M, RafieianKopaei M. Herbal and chemical drugs effective on malaria. *Asian Pac J Trop Dis* 2014; 4(Suppl 2): 599-601.
82. Shirani M, Alibabaei Z, Kheiri S, Shirzad H, Taji F, Asgari A, Rafieian M. Effect of *Euphorbia helioscopia* extract on acute and chronic pain in mice. *J Babol Univ Med Sci* 2011;13: 14-18.
83. Monallisha Mallick, Anindya Bose, Sangeeta Mukhi (2016), Comparative Evaluation of the Antioxidant Activity of Some commonly used Spices, *International Journal of PharmTech Research*, (2016), Vol.9, No.1, pp 01-08.
84. D. Saravanan, M. Radhakrishnan(2016), Antimicrobial activity of mangrove leaves against drug resistant pathogens, *International Journal of PharmTech Research*, (2016), Vol.9, No.1, pp 141-146.
85. Sneha J Anarthe*, Aleeti Pravalika, Enishetty Malavika and M. Ganga raju(2016)., Assessment of immunomodulatory activity of *Ficus benghalensis* Linn. aerial roots, *International Journal of PharmTech Research*, (2016), Vol.9, No.1, pp 153-163.
86. Haider Salih Jaffat , Afyaa Sabah Nasir (2016), Effect of turmeric extract (*Curcuma longa*) on physiological parameters and neurotransmitters in rats treated by lithium carbonate, *International Journal of PharmTech Research*, (2016), Vol.9, No.2, pp 89-97.
87. Benjamin E. Ezema, Emmanuel I. Odoemelam, Mathias O Agbo(2016)., Phytochemical and Antibiotic Evaluation of the Methanol Extract of *Loranthus micranthus* Linn Parasitic on *Kola Accuminata*, *International Journal of PharmTech Research*, (2016), Vol.9, No.2, pp 176-181.
88. Masitha Dewi Sar, Aslim D Sihotang, Aznan Lelo(2016)., Ginkgo Biloba Extract Effect on Oxidative Stress Marker Malonildialdehyde, Redox Enzyme Gluthation Peroxidase, Visual Field Damage, and Retinal Nerve Fiber Layer Thickness in Primary Open Angle Glaucoma, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 158-166.
89. Nasdiwaty Daud, Rosidah, M Pandapotan Nasution(2016), Antidiabetic Activity of *Ipomoea batatas L.* Leaves Extract In Streptozotocin-Induced Diabetic Mice, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 167-170.
90. Luqman Agung Wicaksono, Yunianta, and Tri Dewanti Widyaningsih(2016), Anthocyanin Extraction from Purple Sweet Potato Cultivar Antin-3 (*Ipomoea batatas L.*) using Maceration, Microwave Assisted Extraction, Ultrasonic Assisted Extraction and Their Application as Anti-Hyperglycemic Agents in Alloxan-Induced Wistar Rats, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 180-192.
91. Rise Desnita, Maria Veronika, Sri Wahdaningsih(2016), Topical Microemulsion's Formulation of Purple Sweet Potato (*Ipomoea batatas L.*) Ethanol Extract as Antioxidant by using Various Concentration of Span 80, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 234-239.
92. Vijay D. Tambe, Rajendra S. Bhambar(2016), Studies on Diuretics and Laxative Activity of the *Hibiscus Tiliaceus* Linn. Bark Extracts, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 305-310.
93. Pushpendra Kumar Jain, Debajyoti Das, Puneet Jain(2016), Evaluating Hair Growth Activity of Herbal Hair Oil, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 321-327.
94. Rubila. S, Ranganathan T.V.(2016), Effect of *Allium sativum* paste against Antimicrobial, Antioxidant and Cytotoxicity activity, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 328-332.
95. Jitendra O. Bhangale, Niyati S. Acharya, Sanjeev R. Acharya(2015), Neuroprotective effect of pet ether extract of *Ficus religiosa (L.)* leaves in 3-nitropropionic acid induced Huntington Disease, *International Journal of PharmTech Research*, (2015), Vol.8, No.10, pp 57-69.

96. A.M.Shaikh, B.Shrivastava, K.G.Apte, S.D.Navale(2015), Effect of Aqueous Extract of Curcuma zedoaria and Gloriosa superba Against DMH-Induced Colon Carcinogenesis In Wistar Rats, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 88-94.
97. Mona Al-Terehi, Ali H. Al-Saadi, Haider K. Zaidan, Zahraa H. Alkaim, Rajaa Ali Habeeb, Noora Majed (2015), Some herbal medicinal plants activity against Candida spp which resistance to antifungal drugs, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 146-150.
98. Mona Al-Terehi, Ali H. Al-Saadi, HaiderK.Zaidan, Russul Hikmat Behjet, Zahraa Haleem(2015), Some plants extracts Synergism effects in Pathogenic bacteria, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 158-164.
99. Ragavan Balliah, Monisha Sudhakar(2015), In Vitro Evaluation of Cytotoxic and Antiproliferative Activity of a Polyherbal Extract against H9c2 Cardiac Cells, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 191-197.
100. R.Jasmine, Sakthivel H(2015), Role of compounds from Terminalia chebula exhibiting Anti-Cholesterol property, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 210-215.
101. Helmina Br. Sembiring, Tonel Barus, Lamek Marpaung, and Partomuan Simanjuntak(2015) , Antioxidant and Antibacterial Activity of Some Leaves Extracts (Methanol, Ethyl Acetate and N-Hexane) of Scurrula fusca G.Don, International Journal of PharmTech Research, Vol.8, No.9, pp 24-30.
102. Aprilita Rina Yanti, Maksum Radji, Abdul Mun'im, and FD Suyatna(2015), Antioxidant effects of Methanolic extract of Phaleria macrocarpa (Scheff.) Boerl in fructose 10%-induced rats, International Journal of PharmTech Research, (2015), Vol.8, No.9, pp 41-47.
103. Jansen Silalahi, Dwi Pertiwi, Aminah Dalimunthe, Yosy C E Silalahi(2015), Effect of Acute Consumption of Coconut and Palm Oil on Swimming Capacity Endurance of Mice (Mus musculus), International Journal of PharmTech Research, (2015), Vol.8, No.9, pp 55-59.
104. Hossein Kamali, Tooba Ahmadzadeh sani, Peyman Feyzi, Ameneh Mohammadi (2015), Chemical composition and antioxidant activity from Essential oil of Capsella bursa-pastoris, International Journal of PharmTech Research, (2015), Vol.8, No.8, pp 01-04.
105. T. G. Nithya, Isah Mansur Aminu(2015), Antibacterial activity of Murraya koeniigi leaves against Urinary Tract Infection causative pathogens, International Journal of PharmTech Research, Vol.8, No.8, pp 112-117.
106. D.Subhashini, T. Nandini (2015), Antioxidant Efficacy of Iron Nanoparticles from Aqueous Seed Extract of Cuminum Cyminum, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 19-25.
107. Vinodhini Velu, Himaja Malipeddi(2015), In vitro Anti-arthritis and Hemolytic Activity of Leaf Extracts of Tragia involucrate, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 46-50.
108. Himaja M, Das P(2015), Antioxidant, anti-arthritis and hypoglycemic activity of Oxalis corniculata Linn. leaf extracts,International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 51-57.
109. Gunjegaonkar Shivshankar M, T. S. Shanmugarajan(2015), In vitro potential of plant stress hormone Methyl Jasmonate for anti arthritis, anti-inflammatory and free radical scavenging activity, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 161-165.
110. K. Kayalvizhi, L. Cathrine, K. Sahira Banu(2015), Phytochemical and antibacterial studies on the leaf extracts of female Carica papaya.linn, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 166-170.
111. Y.Narasimha Rao, M.Prasada Rao, K.Bhagyalakshmi, M.Srikanth(2015), Antianaphylactic Activity of Hydro Alcoholic Extract of Phyllanthus Virgatus Leaves, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 171-174.
112. M. Duraisankar, Manjula Devi, P. Shanmugasundram(2015), Hepatoprotective activity of alcoholic extract of Chonemorpha fragrans root in against Paracetamol and Isoniazid-induced liver damage in rats, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 232-242.
