



Hypotensive medicinal plants according to Ethnobotanical evidence of Iran: A Systematic Review

Mohammad Taghi Moradi¹, Majid Asadi-Samani^{2*}, Mahmoud Bahmani³

¹Student Research Committee, Shahrekord University of Medical Sciences, Shahrekord, Iran;

²Medical Plants Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran;

³Razi Herbal Medicines Research Center, Lorestan University of Medical Sciences, Khorramabad, Iran.

Abstract : Hypertension is called the silent killer because it leads finally to death silently and asymptotically. If hypertension is not controlled at early stages, it disturbs the functions of cardiovascular system and other organs of the body. The aim of this review article is to report the medicinal plants used to treat hypertension in traditional medicine according to ethnobotanical evidence of different regions of Iran. This helps to offer different medicinal plants used to treat hypertension in these regions in a systematic manner, and approaches and keys to discover effective substances and develop new herbal drugs to researchers as well as to inform them of folk knowledge about using medicinal plants to prevent hypertension. In this article, 47 medicinal plants from 17 different regions in Iran were reported to be used to lower blood pressure. These plants can be investigated in animal studies and clinical trials to be used in developing herbal drugs for prevention and treatment of hypertension.

Keywords : High blood pressure, Folk medicine, Ethnobotany, Herb, Iran.

Introduction

Currently, increased incidence of arterial hypertension is one of the most important public health problems across the world [1]. Worldwide, one billion people are suffering from arterial hypertension. Of these people, 7.1 million die as a result of this disease each year [2]. This common disease is an important risk factor for myocardial infarction, stroke, congestive heart failure, end stage renal disease, and peripheral artery disease [3,4]. The World Health Organization has reported that if systolic blood pressure exceeds 115 mmHg, it can be responsible for 62% of cerebrovascular accidents, 49% of ischemic heart disease, and a first degree risk factor for all-cause mortality across the world [2].

Arterial hypertension may silently lead to heart attack, heart failure, and renal failure through causing vascular injuries. Therefore, early diagnosis and control of arterial hypertension is particularly important. If arterial hypertension is mild, improvement of lifestyle, such as quitting smoking, weight loss, regular exercise, and healthy diet, can help to control blood pressure. If these ways fail to control blood pressure and arterial hypertension is severe, pharmacotherapy should be started quickly. Different drug categories are used to treat arterial blood pressure, including diuretic drugs, neural inhibitors (sympathic drugs), vascular dilators, and angiotensin-converting-enzyme (ACE) inhibitors. However, these drugs may cause certain side effects and have certain counterindications. For example, diuretic drugs can be problematic for some, especially older, people

because frequent urination is annoying at early stages of treatment. Besides that, diuretic drugs may cause positional vertigo, sweating, weakness, and fatigue which may be due to dehydration. Another side effect of these drugs in men is impotence. Moreover, neural inhibitors cause exacerbation of dyspnea in patients with asthma and obstructive pulmonary disease, and sympathetic inhibitors lead occasionally to impaired control of glycemia in patients with diabetes [5-7].

Because of side effects due to many of the chemical drugs and heavy costs of some of these drugs, there currently is a renewed, growing interest in using medicinal plants to treat different diseases [8-18]. Medicinal plants are nature-based. This causes these drugs to be well tolerated in the body, if they are used appropriately and knowledgeably with no fear of significant side effects, as with synthetic drugs [19-25]. Plants are able to synthesize various compounds and have long been used as remedies. Many plants are now being collected and examined to identify possible sources of drugs [26-40, 92-108]. Gathering knowledge about the culture of using medicinal plants in different regions is highly important, because this knowledge can contribute to taking steps to identifying new medicinal plants that are used to prevent and treat different diseases [41-44]. Furthermore, knowledge about effective plants can help to identify the effective compounds of these plants and to develop new, plant-based drugs [45-50]. In this regard, several studies have been conducted to identify the medicinal plants of different regions of Iran and to investigate the therapeutic effects of these plants [51-66]. However, knowledge about the routine methods of using medicinal plants among people from different cultures and regions seems necessary to produce more effective drugs to treat common diseases.

Iran is a vast country full of plants including many medicinal plants. Local communities in different required of Iran have acquired a deep knowledge about various uses of plants throughout history. Several ethnobotanical investigations have gathered, detected, and offered the cultures and habits of using different medicinal plants to prevent and treat different diseases [67-70,92-121]. However, no systematic study has yet been conducted to introduce different medicinal plants used to treat hypertension in different regions of Iran. This review article seeks to systematically introduce the medicinal plants reported to be effective on hypertension according to ethnobotanical documents of different regions of Iran. The findings of this work may offer some strategies and keys needed for discovering effective compounds and develop new herbal drugs to researchers.

In this review article, the key words including ethnobotany, ethnopharmacology, ethnomedicine, phytopharmacology, phytomedicine, traditional medicine, and Iran combined with hypertension, blood pressure and antihypertensive were searched for in Web of Science, PubMed, Scopus, International Science Citation Center, and Magiran. Duplicate articles and the articles with no accessible full text were excluded from analysis.

The present study indicated that Iran's people of different cultures and in various regions such as Lorestan province, Alamut mountainous in Ghazvin province, Kerman province, Kohghiluyeh va Boyer Ahmad province, Turkmen Sahra in north of Iran, Chaharmahal va bakhtiyari province, hormozgan province, Arjan in Fars province and Mashhad province totally use 47 medicinal plants from 24 families according in traditional medicine to specifically treat hypertension. Most of the identified plants were from Asteraceae, Lamiaceae and Rosaceae family (figure1). Table 1 gives further data on the medicinal plants effective on hypertension disease.




Fig 1: Plant species effective on hypertension in each family

Table 1: Medicinal plants effective on hypertension diseases in different subcultures and regions of Iran

No.	Scientific Name	Family	Local Name	Used Organs	Regions	Ref.
1	<i>Marrubium anisodon</i> K. Koch	Lamiaceae	It-sieg, narfiz, yol-ghutli	Stems, Leaves	Turkmen Sahra, north and Hezar Mountain, South East of Iran	[51, 52]
2	<i>Rosa hemispherica</i> J. Herrmenn (AG 386)	Rosaceae	Eit-butni	Fruits	Turkmen Sahra, north of Iran	[51]
3	<i>Hippophae rhamnoides</i>	Elaeagnaceae	<i>Kaham</i>	<i>Fruits</i>	Alamut mountainous in Ghazvin province	[53]
4	<i>Viola odorata</i>	Violaceae	<i>Banafshe</i>	<i>Flowers</i>	Alamut mountainous in Ghazvin province	[53]
5	<i>Hausknechtia elymaitica</i> Boiss.	Apiaceae	Kelos-e kuhi	Aerial parts	Kohghiluyeh va Boyer Ahmad province	[54]
6	<i>Achillea wilhelmsii</i> K.Koch.	Asteraceae	Berenjas	Flowers	Kohghiluyeh va Boyer Ahmad province	[54]
7	<i>Citrullus colocynthis</i> (L.) Schrad.	Cucurbitaceae	Gorjey-e Abu jahl, Hendevaney e sangi	Seeds	Kohghiluyeh va Boyer Ahmad province	[54]
8	<i>Fumaria parviflora</i> Lam	Papaveraceae	Shah-Tareh	Aerial parts	Kohghiluyeh va Boyer Ahmad province	[54]
9	<i>Allium hirtifolium</i> Boiss.	Amaryllidaceae	Mousir	Bulbs	Chaharmahal va Bakhtiyary province	[55]
10	<i>Melilotus officinalis</i> (L.)	Fabaceae	Aklilolmolk	Leaves	Chaharmahal va Bakhtiyary province	[55]
11	<i>Otostegia persica</i> (Burm.) Boiss.	Lamiaceae	Golgoder, gol khari, khoransh, golder	Leaves, Flowers, Thistles	Hormozgan province	[56]
12	<i>Teucrium pollium</i> L.	Lamiaceae	Kerishk, kalpuru	Flowers, leaves, Seeds	Hormozgan province	[56]
13	<i>Teucrium stocksianum</i> Boiss	Lamiaceae	Kalpure kuhi, krishk daii	Leaves	Hormozgan province	[56]
14	<i>Artemisia dracuncululus</i> L.	Asteraceae	Tarkhonii	Stems, leaves	Arjan in Fars province	[57]
15	<i>Silybum marianum</i> (L.) Gaertn.	Asteraceae	KharKhangaloo	Seeds, Flowers	Arjan in Fars province	[57]
16	<i>Rhus coriaria</i> L.	Anacardiaceae	Somagh	Fruits	Mashhad, Razavi Khorasan province	[58]
17	<i>Echium amoenum</i> Fisch. & C.A.Mey.	Boraginaceae	Gole Gavzaban	Flowers	Mashhad, Razavi Khorasan province	[58]
18	<i>Equisetum arvense</i> L.	Equisetaceae	Dome Asb	Aerial parts	Mashhad, Razavi Khorasan province	[58]
19	<i>Vaccinium arctostaphylos</i> L.	Ericaceae	Ghareh Ghat	Fruits	Mashhad, Razavi Khorasan province	[58]
20	<i>Ribes khorasanicum</i> Saghafi & Assadi	Grossulariaceae	Ghareh Ghat	Fruits	Mashhad, Razavi Khorasan province	[58]
21	<i>Hibiscus sabdariffa</i> L.	Malvaceae	Chai Makkeh	Flowers	Mashhad, Razavi Khorasan province	[58]
22	<i>Rheum turkestanicum</i> Janisch.	Polygonaceae	Eshghan	Roots	Mashhad, Razavi Khorasan province	[58]
23	<i>Rosa beggeriana</i> Schrenk	Rosaceae	Nastaran	Fruit	Mashhad, Razavi	[58]

					Khorasan province	
24	<i>Citrus aurantiifolia</i> (Christm.) Swingle	Rutaceae	Limu Amani	Fruits	Mashhad, Razavi Khorasan province	[58]
25	<i>Citrus aurantium</i> L.	Rutaceae	Bahar Naranj	Flowers	Mashhad, Razavi Khorasan province	[58]
26	<i>Camellia sinensis</i> (L.) Kuntze	Theaceae	Chai Sabz	Leaves	Mashhad, Razavi Khorasan province	[58]
27	<i>Matricaria chamomilla</i> L	Asteraceae	Baboneh	Flowers	Mobarakeh, Isfahan province	[59]
28	<i>Olea europaea</i> L	Oleaceae	Zeytun	Fruits, Leaves	Mobarakeh, Isfahan province and Turkmen Sahra, north of Iran	[51, 59]
29	<i>Allium sativum</i> L.	Amaryllidaceae	Sire	Bulbs	Sardasht, Western Azerbaijan province and Mashhad province	[58, 60]
30	<i>Cydonia vulgaris</i> L.	Rosaceae	-	Fruit	Sardasht in Western Azerbaijan province	[60]
31	<i>Crataegus azarolus</i> L.	Rosaceae	Zalzalke zard	Fruits, Flowers, Leaves	Zarivar, Kordestan province	[61]
32	<i>Berberis integerrima</i> Bunge	Berberidaceae	Zereshk Kuhi	Fruits	Sirjan, Kerman province and Mashhad, Razavi Khorasan province	[58, 62]
33	<i>Malva sylvestris</i> L.	Malvaceae	Khatmi	Fruits, Flowers	Sirjan, Kerman province	[62]
34	<i>Punica granatum</i> L.	Punicaceae	Anar, Nar-e Farsi	Fruits, Seeds and Flowers	Sirjan, Kerman province	[62]
35	<i>Achillea millefolium</i> L.	Asteraceae	Boomadaran	Aerial parts	Kerman province	[63]
36	<i>Helianthus annuus</i> L.	Asteraceae	Aftabgardan	Flowers	Kerman province	[63]
37	<i>Citrullus vulgaris</i> Schrad.	Cucurbitaceae	Hendevaneh	Fruits	Kerman province	[63]
38	<i>Ziziphus</i> sp.	Rhamnaceae	Ennab	Fruits, Stems	Maraveh Tappeh Region, North of Iran	[64]
39	<i>Urtica dioica</i> L.	Urticaceae	Chitchiti odghin	Leaves	Maraveh Tappeh Region, North of Iran	[64]
40	<i>Falcaria</i> sp.	Apiaceae	Ghaziaghi	Aerial parts	Maraveh Tappeh Region, North of Iran	[64]
41	<i>Berberis</i> sp.	Berberidaceae	Zereg	Fruits	Maraveh Tappeh Region, North of Iran	[64]
42	<i>Capsella bursa-pastoris</i> (L.)	Brassicaceae	Kise keshish	Aerial parts	Hezar Mountain, South East of Iran and Arjan in Fars province	[52, 57]
43	<i>Crataegus pontica</i> C. Koch	Rosaceae	Zalzalak	Fruits, Leaves	Dehloran and Abdanan Region, Ilam province	[65]
44	<i>Paliurus spina-christi</i> Miller.	Rhamnaceae	Siyah telo	Fruits	Dehloran and Abdanan Region, Ilam province	[65]
45	<i>Rheum ribes</i> L.	Polygonaceae	Rivas	Stems	Dehloran and Abdanan Region, Ilam province	[65]
46	<i>Mentha longifolia</i> (L.) Hudson	Lamiaceae	Nana	Aerial Parts	Hamedan province	[66]
47	<i>Stachys lavandulifolia</i> Vahl.	Lamiaceae	-	Flower	Hamedan province	[66]

The present study indicated that Iran's people from different cultures and in various regions use 47 medicinal plants from 24 families to specifically treat hypertension according to traditional medicine. Most of these plants are from families Asteraceae, Lamiaceae and Rosaceae.

Hypertension is an asymptomatic risk factor for cardiovascular diseases. The causes of hypertension have not yet been identified to date. However, smoking, overweight, physical inactivity, high-salt diet, drinking alcoholic drinks, stress and anxiety, ageing, genetic factors, family history of hypertension, chronic renal disease, disorders of adrenal glands and thyroid can play a role in hypertension.

The effect of medicinal plants in lowering blood pressure have been attributed to different mechanisms: 1. Diuretic property cause hypertension to lower through decreasing blood volume [71]; 2. Hypertension may be lowered through decrease in plasma viscosity [72]; 3. Increasing activity of nitric oxide synthase and relaxing smooth muscles of vessels wall help to lower blood pressure [73]; 4. Serum levels of thromboxane B2 (a stable metabolite of thromboxane A2) decrease because of the use of medicinal plants, which prevents vessels from contracting and therefore blood pressure from escalating [74]; 5. According to some studies, potassium in diet is inversely associated with blood pressure [75]. Some plants contain large amounts of potassium and therefore can cause decrease in blood pressure. Besides that, ACE is a key constituent of renin-angiotensin-aldosterone system and a regulator of blood pressure. Abnormal increase in the expression of this system leads to hypertension. These mechanisms can be considered in screening the medicinal plants used as hypotensive agents according to traditional medicine of Iran.

Most of these plants are from Lamiaceae, Asteraceae and Rosaceae families which contain phenolic compounds and have considerable antioxidant effects [76, 77]. For example, certain flavonoids cause inhibition of ACE in vitro and therefore prevent hypertension [78]. Also these compounds with antioxidant properties can counteract free radicals in the environment and prevent their destructive effects. Hypertension is associated with increase in oxidative stress and since many of the plants presented in this study contain antioxidant activity, their hypotensive effects may be attributable to their antioxidant property [79]. It should be noted that a lot of other plants have antioxidant property [80-91].

Conclusion

Considering plants used in treating hypertension according to Iranian traditional medicine, researchers are recommended to investigate the plants from these families, whose effects on hypertension diseases have been less frequently investigated, to develop hypotensive herbal drugs.

Conflict of Interests

There is no any conflict of interest.

References

1. Williams GH. Hypertensive vascular disease. Principles of Internal Medicine 12th edition, WB Mc Grow-Hill Inc: USA, 1991.
2. National Heart Lung and Blood institute .The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC 7) Complete Report. 2004.
3. WHO Technical Report Series. Hypertension Control. Report of a WHO Expert Committee. World Health Organization: Geneva, 1996.
4. Burt VL. Prevalence of hypertension in the US adult population: results from the third National Health and Nutrition Examination Survey, 1988-1991. *Hypertension* 1995; 25: 305-13.
5. Irigoyen MC, De Angelis K, Dos Santos F, Dartora DR, Rodrigues B, Consolim-Colombo FM. Hypertension, blood pressure variability, and target organ lesion. *Curr Hypertens Rep* 2016;18:31.
6. Roush GC, Sica DA. Diuretics for Hypertension: A Review and Update. *Am J Hypertens*. 2016 Apr 5. pii: hpw030.
7. Stein DR, Ferguson MA. Evaluation and treatment of hypertensive crises in children. *Integr Blood Press Control* 2016;9:49-58.

8. Rafieian-Kopaei M, Nasri H, Baradaran A. Teucrium polium: Liver and kidney effects. *J Res Med Sci* 2014;19:478-9.
9. Sharafati-Chaleshtori R, Rokni N, Rafieian-Kopaei M, Drees F, Sharafati-Chaleshtori A, Salehi E. Use of Tarragon (*Artemisia Dracunculus*) essential oil as a natural preservative in beef burger. *Ital J Food Sci* 2014;26:427-32.
10. Baradaran A, Madihi Y, Merrikhi A, Rafieian-Kopaei M, Nematbakhsh M, Asgari A, et al. Nephrotoxicity of hydroalcoholic extract of Teucrium polium in Wistar rats. *Pak J Med Sci* 2013; 29:329-33.
11. Rabiei Z, Rafieian-Kopaei M. Neuroprotective effect of pretreatment with Lavandula officinalis ethanolic extract on blood-brain barrier permeability in a rat stroke model. *Asian Pac J Trop Med* 2014;7:421-6.
12. Rabiei Z, Bigdeli MR, Asadi-Saamni M. The effect of dietary virgin olive oil on brain lipid levels and brain edema in rat stroke models. *Zanjan Univ Med Sci J* 2013; 21:56-64.
13. Rouhi-Boroujeni H, Rouhi-Boroujeni H, Heidarian E, Mohammadzadeh F, Rafieian-Kopaei M. Herbs with anti-lipid effects and their interactions with statins as a chemical antihyperlipidemia group drugs: A systematic review. *ARYA Atheroscler* 2015;11:244-51.
14. Heidarian E, Rafieian-Kopaei M. Protective effect of artichoke (*Cynara scolymus*) leaf extract against lead toxicity in rat. *Pharm Biol* 2013;51:1104-9.
15. Beyrami-Miavagi A, Farokhi F, Asadi-Samani M. A study of the effect of prostodin and hydroalcoholic extract of Malva neglecta on kidney histopathology and renal factors in female rats. *Adv Environ Biol* 2014; 8: 942-947.
16. Rouhi-Boroujeni H, Gharipour M, Asadi-Samani M, Rouhi-Boroujeni H. The protective effects of ginger on the development of coronary atherosclerosis: An experimental animal study. *Der Pharmacia Lett* 2016;8:105-9.
17. Jivad N, Asadi-Samani M, Moradi MT. The most important medicinal plants effective on migraine: A review of ethnobotanical studies in Iran. *Der Pharm Chem* 2016, 8:462-466
18. Rouhi-Boroujeni H, Asadi-Samani M, Moradi MT. A review of the medicinal plants effective on headache based on the ethnobotanical documents of Iran. *Der Pharm Lett* 2016, 8:37-42
19. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. A review of therapeutic and pharmacological effects of thymol. *Der Pharm Lett* 2016; 8: 150-4.
20. Samarghandian S, Asadi-Samani M, Farkhondeh T, Bahmani M. Assessment the effect of saffron ethanolic extract (*Crocus sativus* L.) on oxidative damages in aged male rat liver. *Der Pharm Lett* 2016; 8: 283-90.
21. Sarrafchi A, Bahmani M, Shirzad H, Rafieian-Kopaei M. Oxidative stress and Parkinson's disease: New hopes in treatment with herbal antioxidants. *Curr Pharm Des* 2016; 22: 238-246.
22. Rouhi-Boroujeni H, Mosharraf S, Gharipour M, Asadi-Samani M, Rouhi-Boroujeni H. Anti-hyperlipidemic effects of sumac (*Rhus coriaria* L.): Can sumac strengthen anti-hyperlipidemic effect of statins? *Der Pharmacia Lett* 2016;8:143-7.
23. Nasri H, Shirzad H. Toxicity and safety of medicinal plants. *J Herbmed Pharmacol* 2013; 2: 21-22.
24. Namjoo AR, MirVakili M, Shirzad H, Faghani M. Biochemical, liver and renal toxicities of Melissa officinalis hydroalcoholic extract on balb/C mice. *J Herbmed Pharmacol* 2013; 2: 35-40.
25. Bahmani M, Shirzad H, Rafieian S, Rafieian-Kopaei M. Silybum marianum: Beyond Hepatoprotection. *J Evid Based Complementary Altern Med* 2015;20:292-301.
26. Sewell RDE, Rafieian-Kopaei M. The history and ups and downs of herbal medicine usage. *J Herbmed Pharmacol* 2014; 3: 1-3.
27. Kooti W, Ghasemiboroon M, Asadi-Samani M, Ahangarpour A, Zamani M, Amirzargar A, et al. The Effect of halcoholic extract of celery leaves on the delivery rate (fertilization and stillbirths), the number, weight and sex ratio of rat off spring. *Adv Environ Biol* 2014; 8: 824-830.
28. Kooti W, Ghasemiboroon M, Asadi-Samani M, Ahangarpour A, Noori Ahmad Abadi M, Afrisham R, et al. The effects of hydro-alcoholic extract of celery on lipid profile of rats fed a high fat diet. *Adv Environ Biol* 2014; 8: 325-330.
29. Sedighi M, Rafieian-kopaei M, Noori-Ahmadabadi M. Kelussia odoratissima Mozaffarian inhibits ileum contractions through voltage dependent and beta adrenergic receptors. *Life Sci J* 2012;9:1033-8.
30. Shirani M, Alibabaei Z, Kheiri S, Shirzad H, Taji F, Asgari A, et al. Effect of Euphorbia helioscopia extract on acute and chronic pain in mice. *J Babol Univ Med Sci* 2011;13: 14-18.

31. Kooti W, Ghasemiboroon M, Ahangarpour A, Hardani A, Amirzargar A, Asadi-Samani M. The effect of hydro-alcoholic extract of celery on male rats in fertility control and sex ratio of rat offspring. *J Babol Univ Med Sci* 2014; 16:43-9.
32. Madihi Y, Merrikhi A, Baradaran A, Rafieian-Kopaei M, Shahinfard N, Ansari R, et al. Impact of Sumac on postprandial high-fat oxidative stress. *Pak J Med Sci* 2013;29:340-5.
33. Nasri H, Rafieian-Kopaei M. Kidney Tubular Cell Protection; Recent Findings. *Iran J Pediatr*. 2014;24:781-3.
34. Bahmani M, Zargaran A, Rafieian-Kopaei M. Identification of medicinal plants of Urmia for treatment of gastrointestinal disorders. *Braz J Pharmacogn* 2014;24:468-80.
35. Kafash-Farkhad N, Asadi-Samani M, Rafieian-Kopaei M. A review on phytochemistry and pharmacological effects of Prangos ferulacea (L.) Lindl. *Life Sci J* 2013; 10(Suppl 8):360-367.
36. Heidarian E, Movahed-Mohammadi G, Saffari J, Ghatreh-Samani K. Protective effect of hydroethanolic extract of cress against hepatotoxicity due to acetaminophen in rats. *J Mazandaran Univ Med Sci* 2013;23:78-90.
37. Bahmani M, Zargaran A, Rafieian-Kopaei M, Saki K. Ethnobotanical study of medicinal plants used in the management of diabetes mellitus in the Urmia, Northwest Iran. *Asian Pac J Trop Med* 2014;7: 348-54.
38. Delfan B, Bahmani M, Hassanzadazar H, Saki K, Rafieian-Kopaei M. Identification of medicinal plants affecting on headaches and migraines in Lorestan Province, West of Iran. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 376-379.
39. Asadi-Samani M, Bahmani M, Rafieian-Kopaei M. The chemical composition, botanical characteristic and biological activities of *Borago officinalis*: a review. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 22-28.
40. Bahmani M, Rafieian-Kopaei M, Hassanzadazar H, Saki K, Karamati SA, Delfan B. A review on most important herbal and synthetic antihelmintic drugs. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 29-33.
41. Asadi-Samani M, Kafash-Farkhad N, Azimi N, Fasihi A, Alinia-Ahandani E, Rafieian-Kopaei M. Medicinal plants with hepatoprotective activity in Iranian folk medicine. *Asian Pac J Trop Biomed* 2015; 5:146-57.
42. Asadi-Samani M, Rafieian-Kopaei M, Azimi N. *Gundelia*: a systematic review of medicinal and molecular perspective. *Pak J Biol Sci* 2013; 16, 1238-1247.
43. Asadi-Samani M, Kooti W, Aslani E, Shirzad H. A Systematic review of Iran's medicinal plants with anticancer effects. *J Evid Based Complementary Altern Med* 2016; 21(2): 143-53.
44. Ahmadipour S, Ahmadipour Sh, Mohsenzadeh A, Asadi-Samani M. The importance of some native medicinal plants of Iran effective on gastrointestinal disorders in children: A review. *Der Pharm Lett* 2016; 8: 61-6.
45. Parsaei P, Bahmani M, Karimi M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. A review of analgesic medicinal plants in Iran. *Der Pharm Lett* 2016; 8: 43-51.
46. Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. Iran's medicinal plants effective on fever in children: A review. *Der Pharm Lett* 2016; 8: 129-134.
47. Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. A review of the most important medicinal plants effective on cough in children and adults. *Der Pharm Lett* 2016; 8: 90-96.
48. Ghanavati T, Ghatreh-Samani K, Farrokhi E, Heydarian E, Nikookar M. Effect of gallic acid on Alkaline phosphatase gene expression in vascular smooth muscle cells. *J Mazandaran Univ Med Sci* 2015;25:17-25.
49. Bahmani M, Shirzad HA, Majlesi M, Shahinfard N, Rafieian-Kopaei M. A review study on analgesic applications of Iranian medicinal plants. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 43-53.
50. Asadbeigi M, Mohammadi T, Rafieian-Kopaei M, Saki K, Bahmani M, Delfan B. Traditional effects of medicinal plants in the treatment of respiratory diseases and disorders: an ethnobotanical study in the Urmia. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 364-368.
51. Ghorbani A. Studies on pharmaceutical ethnobotany in the region of Turkmen Sahra, north of Iran: (Part 1): General results. *J Ethnopharmacol* 2005;102:58-68.
52. Rajaei P, Mohamadi N. Ethnobotanical study of medicinal plants of Hezar Mountain allocated in South East of Iran. *Iran J Pharm Res* 2012;11:1153-67.
53. Ahvazi M, Khalighi-Sigaroodi F, Charkhcheyan MM, Mojab F, Mozaffarian VA, Zakeri H. Introduction of medicinal plants species with the most traditional usage in alamut region. *Iran J Pharm Res* 2012;11:185-94.

54. Mosaddegh M, Naghibi F, Moazzeni H, Pirani A, Esmaeili S. Ethnobotanical survey of herbal remedies traditionally used in Kohghiluyeh va Boyer Ahmad province of Iran. *J Ethnopharmacol* 2012;141:80-95.
55. Ghasemi Pirbalouti A. Medicinal plants used in Chaharmahal and Bakhtyari districts, Iran. *Herba Polonica* 2009;55:56-7.
56. Safa O, Soltanipoor MA, Rastegar S, Kazemi M, Nourbakhsh Dehkordi K, Ghannadi A. An ethnobotanical survey on hormozgan province, Iran. *Avicenna J Phytomed* 2013; 3:64-81.
57. Dolatkhahi M, Dolatkhahi A, Nejad JB. Ethnobotanical study of medicinal plants used in Arjan - Parishan protected area in Fars Province of Iran. *Avicenna J Phytomed* 2014;4:402-12.
58. Amiri MS, Joharchi MR. Ethnobotanical investigation of traditional medicinal plants commercialized in the markets of Mashhad, Iran. *Avicenna J Phytomed* 2013;3:254-71.
59. Mardaninejad S, Janghorban M, Vazirpour M. Collection and identification of medicinal plants used by the indigenous people of Mobarakeh (Isfahan), southwestern Iran. *J Herb Drugs* 2013;4:23-32.
60. Azizi H, Keshavarzi M. Ethnobotanical study of medicinal plants of Sardasht, Western Azerbaijan, Iran. *J Herb Drugs* 2015;6:113-9.
61. Tabad M, Jalilian N. Ethnobotanical Study of Medicinal Plants in Zarivar Region (Marivan), Iran. *J Med Plants* 2015;2:55-75.
62. Khajoei Nasab F, Khosravi AR. Ethnobotanical study of medicinal plants of Sirjan in Kerman Province, Iran. *J Ethnopharmacol* 2014;154:190-197.
63. Mahdavi Maymand Z, Mirtajodin M. The collection and identification of the some plant species of Kerman province. *J Herb Drugs* 2010;1:1-24.
64. Mirdeilami SZ, Barani H, Mazandarani M, Heshmati GA. Ethnopharmacological survey of medicinal plants in Maraveh Tappe region, north of Iran. *Iran J Plant Physiol.* 2011;2(1):325-36.
65. Ghasemi Pirbalouti A, Momeni M, Bahmani M. Ethnobotanical study of medicinal plants used by Kurd tribe in Dehloran and Abdanan Districts, Ilam Province, Iran. *Afr J Tradit Complement Altern Med* 2012;10:368-385.
66. Esmaeili S, Malekmohammadi M, Hassanpour A, Mosaddegh M. Ethnobotanical survey of medicinal plants used traditionally in two villages of Hamedan, Iran. *Res J Pharmacogn* 2014;1:7-14.
67. Bahmani M, Tajeddini P, Ezatpour B, Rafieian-Kopaei M, Naghdi N, Asadi-Samani M. Ethenobothanical study of medicinal plants against parasites detected in Shiraz, southern part of Iran. *Der Pharm Lett* 2016; 8: 153-60.
68. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M, Tajeddini P, Sepehri-Boroujeni M. Identification of medicinal plants effective on common cold: An ethnobotanical study of Shiraz, South Iran. *Der Pharm Lett* 2016; 8: 90-7.
69. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. The most important medicinal plants effective on constipation by the ethnobotanical documents in Iran: A review. *Der Pharm Lett* 2016; 8: 188-94.
70. Jivad N, Bahmani M, Asadi-Samani M. A review of the most important medicinal plants effective on wound healing on ethnobotany evidence of Iran. *Der Pharm Lett* 2016; 8: 353-357.
71. Haghiroalsadat F, Vahidi A, Sabour M, Azimzadeh M, Kalantar M, Sharafadini M. The Indigenous *Cuminum Cyminum* L. of Yazd Province: Chemical Assessment and Evaluation of its Antioxidant Effects. *J Shahid Sadoughi Univ Med Sci*; 19: 472-81.
72. Jung F, Pindur G. Effects of garlic thrombocyte aggregation, microcirculation and other risk factors. *Int Clin pharmacol Ther Toxicol* 1991; 29: 151-155.
73. Khattab MM1, Nagi MN. Thymoquinone supplementation attenuates hypertension and renal damage in nitric oxide deficient hypertensive rats. *Phytother Res* 2007;21:410-4.
74. Ali M and Sthomson M. Consumption of a garlic clove aday could be benefical in preventing thrombosis. *prostaglandins leukot. Essent Fatty Acids* 2001; 53: 211-212.
75. Mahan LK. *Krause's Food Nutrition and Diet Therapy*. 10th ed. W.B. Saunders company. 2000, pp: 742-77.
76. Ma Z, Zheng S, Han H, Meng J, Yang X, Zeng S, et al. The bioactive components of *Coreopsis tinctoria* (Asteraceae) capitula: Antioxidant activity in vitro and profile in rat plasma. *J Funct Foods* 2016; 20: 575-586.
77. Erdemoglu N1, Turan NN, Cakici I, Sener B, Aydin A. Antioxidant activities of some Lamiaceae plant extracts. *Phytother Res* 2006;20:9-13.

78. Nileeka Balasuriya BW, Vasantha Rupasinghe HP. Plant flavonoids as angiotensin converting enzyme inhibitors in regulation of hypertension. *Func Foods Health Dis* 2011; 5: 172- 188.
79. Azar Baradaran, Hamid Nasri, Mahmoud Rafieian-Kopaei. Oxidative stress and hypertension: Possibility of hypertension therapy with antioxidants. *J Res Med Sci* 2014; 19: 358–367.
80. Asgharzade S, Rafieian-kopaei M, Mirzaeian A, Reisi S, Salimzadeh L. Aloe vera toxic effects: expression of inducible nitric oxide synthase (iNOS) in testis of Wistar rat. *Iran J Basic Med Sci* 2015;18:967-73.
81. Nasri H, Nematbakhsh M, Rafieian-Kopaei M. Ethanolic extract of garlic for attenuation of gentamicin-induced nephrotoxicity in wistar rats. *Iran J Kidney Dis* 2013;7:376-82.
82. Nasri H, Hajian S, Ahmadi A, Baradaran A, Kohi G, Nasri P, et al. Ameliorative Effect of Green Tea Against Contrast-induced Renal Tubular Cell Injury. *Iran J Kidney Dis* 2015;9:421-6.
83. Amini FG, Rafieian-Kopaei M, Nematbakhsh M, Baradaran A, Nasri H. Ameliorative effects of metformin on renal histologic and biochemical alterations of gentamicin-induced renal toxicity in Wistar rats. *J Res Med Sci* 2012;17:621-5.
84. Mirhosseini M, Baradaran A, Rafieian-Kopaei M. Anethum graveolens and hyperlipidemia: A randomized clinical trial. *J Res Med Sci* 2014 Aug;19:758-61.
85. Rahnama S, Rabiei Z, Alibabaei Z, Mokhtari S, Rafieian-kopaei M, Deris F. Anti-amnesic activity of Citrus aurantium flowers extract against scopolamine-induced memory impairments in rats. *Neurol Sci* 2015;36:553-60.
86. Bahmani M, Rafieian-Kopaei M, Parsaei P, Mohsenzadegan A. The anti-leech effect of Peganum harmala L. extract and some anti-parasite drugs on *Limnatis nilotica*. *Afr J Microbiol Res* 2012;6:2586-90.
87. Sharafati-Chaleshtori R, Rokni N, Rafieian-Kopaei M, Drees F, Salehi E. Antioxidant and Antibacterial Activity of Basil (*Ocimum basilicum* L.) Essential Oil in Beef Burger. *J Agr Sci Tech-Iran* 2015;17:817-26.
88. Rafieian-Kopaei M, Nasri H. Herbal antioxidant therapy in dialysis patients. *Ann Res Dial* 2016; 1:e02.
89. Parsaei P, Karimi M, Asadi SY, Rafieian-kopaei M. Bioactive components and preventive effect of green tea (*Camellia sinensis*) extract on post-laparotomy intra-abdominal adhesion in rats. *Int J Surg* 2013;11:811-5.
90. Akhlaghi M, Shabaniyan G, Rafieian-Kopaei M, Parvin N, Saadat M, Akhlaghi M. Citrus aurantium Blossom and Preoperative Anxiety. *Rev Bras Anesthesiol* 2011; 61:702-12.
91. Baradaran A, Nasri H, Rafieian-Kopaei M. Comment on: Anti-Oxidative Stress Activity of *Stachys lavandulifolia* Aqueous Extract in Humans. *Cell J* 2013;15:272-3.
92. Monalisha Mallick, Anindya Bose, Sangeeta Mukhi (2016), Comparative Evaluation of the Antioxidant Activity of Some commonly used Spices, *International Journal of PharmTech Research*, (2016), Vol.9, No.1, pp 01-08.
93. D. Saravanan, M. Radhakrishnan(2016), Antimicrobial activity of mangrove leaves against drug resistant pathogens, *International Journal of PharmTech Research*, (2016), Vol.9, No.1, pp 141-146.
94. Sneha J Anarthe*, Aleeti Pravalika, Enishetty Malavika and M. Ganga raju(2016)., Assessment of immunomodulatory activity of *Ficus benghalensis* Linn. aerial roots, *International Journal of PharmTech Research*, (2016), Vol.9, No.1, pp 153-163.
95. Haider Salih Jaffat , Afyaa Sabah Nasir (2016), Effect of turmeric extract (*Curcuma longa*) on physiological parameters and neurotransmitters in rats treated by lithium carbonate, *International Journal of PharmTech Research*, (2016), Vol.9, No.2, pp 89-97.
96. Benjamin E. Ezema, Emmanuel I. Odoemelam, Mathias O Agbo(2016)., Phytochemical and Antibiotic Evaluation of the Methanol Extract of *Loranthus micranthus* Linn Parasitic on *Kola Accuminata*, *International Journal of PharmTech Research*, (2016), Vol.9, No.2, pp 176-181.
97. Masitha Dewi Sar, Aslim D Sihotang, Aznan Lelo(2016)., Ginkgo Biloba Extract Effect on Oxidative Stress Marker Malonildialdehyde, Redox Enzyme Gluthation Peroxidase, Visual Field Damage, and Retinal Nerve Fiber Layer Thickness in Primary Open Angle Glaucoma, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 158-166.
98. Nasdiwaty Daud, Rosidah, M Pandapotan Nasution(2016), Antidiabetic Activity of *Ipomoea batatas* L. Leaves Extract In Streptozotocin-Induced Diabetic Mice, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 167-170.

99. Luqman Agung Wicaksono, Yunianta, and Tri Dewanti Widyaningsih(2016), Anthocyanin Extraction from Purple Sweet Potato Cultivar Antin-3 (*Ipomoea batatas* L.) using Maceration, Microwave Assisted Extraction, Ultrasonic Assisted Extraction and Their Application as Anti-Hyperglycemic Agents in Alloxan-Induced Wistar Rats, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 180-192.
100. Rise Desnita, Maria Veronika, Sri Wahdaningsih(2016), Topical Microemulsion's Formulation of Purple Sweet Potato (*Ipomoea batatas* L.) Ethanol Extract as Antioxidant by using Various Concentration of Span 80, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 234-239.
101. Vijay D. Tambe, Rajendra S. Bhambar(2016), Studies on Diuretics and Laxative Activity of the *Hibiscus Tiliaceus* Linn. Bark Extracts, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 305-310.
102. Pushpendra Kumar Jain, Debajyoti Das, Puneet Jain(2016), Evaluating Hair Growth Activity of Herbal Hair Oil, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 321-327.
103. Rubila. S, Ranganathan T.V.(2016), Effect of *Allium sativum* paste against Antimicrobial, Antioxidant and Cytotoxicity activity, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 328-332.
104. Jitendra O. Bhangale, Niyati S. Acharya, Sanjeev R. Acharya(2015), Neuroprotective effect of pet ether extract of *Ficus religiosa* (L.) leaves in 3-nitropropionic acid induced Huntington Disease, *International Journal of PharmTech Research*, (2015), Vol.8, No.10, pp 57-69.
105. A.M.Shaikh, B.Shrivastava, K.G.Apte, S.D.Navale(2015), Effect of Aqueous Extract of *Curcuma zedoaria* and *Gloriosa superba* Against DMH-Induced Colon Carcinogenesis In Wistar Rats, *International Journal of PharmTech Research*, (2015), Vol.8, No.10, pp 88-94.
106. Mona Al-Terehi, Ali H. Al-Saadi, Haider K. Zaidan, Zahraa H. Alkaim, Rajaa Ali Habeeb, Noora Majed (2015), Some herbal medicinal plants activity against *Candida* spp which resistance to antifungal drugs, *International Journal of PharmTech Research*, (2015), Vol.8, No.10, pp 146-150.
107. Mona Al-Terehi, Ali H. Al-Saadi, HaiderK.Zaidan, Russul Hikmat Behjet, Zahraa Haleem(2015), Some plants extracts Synergism effects in Pathogenic bacteria, *International Journal of PharmTech Research*, (2015), Vol.8, No.10, pp 158-164.
108. Ragavan Balliah, Monisha Sudhakar(2015), In Vitro Evaluation of Cytotoxic and Antiproliferative Activity of a Polyherbal Extract against H9c2 Cardiac Cells, *International Journal of PharmTech Research*, (2015), Vol.8, No.10, pp 191-197.
109. R.Jasmine, Sakthivel H(2015), Role of compounds from *Terminalia chebula* exhibiting Anti-Cholesterol property, *International Journal of PharmTech Research*, (2015), Vol.8, No.10, pp 210-215.
110. Helmina Br. Sembiring, Tonel Barus, Lamek Marpaung, and Partomuan Simanjuntak(2015) , Antioxidant and Antibacterial Activity of Some Leaves Extracts (Methanol, Ethyl Acetate and N-Hexane) of *Scurrula fusca* G.Don, *International Journal of PharmTech Research*, Vol.8, No.9, pp 24-30.
111. Aprilita Rina Yanti, Maksum Radji, Abdul Mun'im, and FD Suyatna(2015), Antioxidant effects of Methanolic extract of *Phaleria macrocarpa* (Scheff.) Boerl in fructose 10%-induced rats, *International Journal of PharmTech Research*, (2015), Vol.8, No.9, pp 41-47.
112. Jansen Silalahi, Dwi Pertiwi, Aminah Dalimunthe, Yosy C E Silalahi(2015), Effect of Acute Consumption of Coconut and Palm Oil on Swimming Capacity Endurance of Mice (*Mus musculus*), *International Journal of PharmTech Research*, (2015), Vol.8, No.9, pp 55-59.
113. Hossein Kamali, Tooba Ahmadzadeh sani, Peyman Feyzi, Ameneh Mohammadi (2015), Chemical composition and antioxidant activity from Essential oil of *Capsella bursa-pastoris*, *International Journal of PharmTech Research*, (2015), Vol.8, No.8, pp 01-04.
114. T. G. Nithya, Isah Mansur Aminu(2015), Antibacterial activity of *Murraya koenigi* leaves against Urinary Tract Infection causative pathogens, *International Journal of PharmTech Research*, Vol.8, No.8, pp 112-117.
115. D.Subhashini, T. Nandini (2015), Antioxidant Efficacy of Iron Nanoparticles from Aqueous Seed Extract of *Cuminum Cyminum*, *International Journal of PharmTech Research*, (2015), Vol.8, No.7, pp 19-25.

116. Vinodhini Velu, Himaja Malipeddi(2015), In vitro Anti-arthritic and Hemolytic Activity of Leaf Extracts of *Tragia involucrate*, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 46-50.
117. Himaja M, Das P(2015), Antioxidant, anti-arthritic and hypoglycemic activity of *Oxalis corniculata* Linn. leaf extracts, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 51-57.
118. Gunjegaonkar Shivshankar M, T. S. Shanmugarajan(2015), In vitro potential of plant stress hormone Methyl Jasmonate for anti arthritis, anti-inflammatory and free radical scavenging activity, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 161-165.
119. K. Kayalvizhi, L. Cathrine, K. Sahira Banu(2015), Phytochemical and antibacterial studies on the leaf extracts of female *Carica papaya*. linn, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 166-170.
120. Y.Narasimha Rao, M.Prasada Rao, K.Bhagyalakshmi, M.Srikanth(2015), Antianaphylactic Activity of Hydro Alcoholic Extract of *Phyllanthus Virgatus* Leaves, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 171-174.
121. M. Duraisankar, Manjula Devi, P. Shanmugasundram(2015), Hepatoprotective activity of alcoholic extract of *Chonemorpha fragrans* root in against Paracetamol and Isoniazid-induced liver damage in rats, International Journal of PharmTech Research, (2015), Vol.8, No.7, pp 232-242.
