



Native medicinal plants of Iran effective on Memory and Learning: A Review

Masoud Nikfarjam^{1*}, Mahmoud Bahmani², Azar Naimi³

¹Medical Plants Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran;

²Isfahan University of Medical Sciences, Isfahan, Iran;

³Razi Herbal Medicines Research Center, Lorestan University of Medical Sciences, Khorramabad, Iran

Abstract : Memory and learning are considered as the most important functional levels of central nervous system (CNS) which helps to encode, store, retain, and recall information in the brain. Since the role of medicinal plants in learning and memory has attracted the attention of many researchers. Therefore, the aim of this review article is to report the native medicinal plants of Iran that are used for memory and learning. According to the findings, *Rosmarinus officinale*, *Ficus carica*, *Melissa officinalis*, *Silybum marianum*, *Glycine max*, *Nigella sativa*, *Cannabis sativa*, *Origanum vulgare* L., and *Boswellia spp.* are some of the native medicinal plants of Iran that are used to improve memory and learning. The mechanism actions of these plants are not fully understood but they could be effective on learning and memory due to their phytochemical compounds and antioxidant activities.

Key words: Memory, Learning, Native medicinal plants, Iran.

Introduction

Learning and memory are closely associated at both cell and behavioral levels [1]. Memory is caused by changes in synaptic conductivity from one neuron to another one, leading to emergence of new or facilitating pathways to control messages in the neural circuit of the brain [2]. Memory and learning are the most important functional levels of central nervous system (CNS). The CNS helps to encode, store, retain, and recall information in the brain. Ageing and stressors are the most important causes of disturbed memory and poor learning. Cholinergic drugs have positive effects on memory and anti-cholinergics, antipsychotics, and anesthetics have negative effects on memory [3, 4].

Human beings have long discovered the values of medicinal plants and used them to treat any pains and diseases [5-20]. The documents in medicine and pharmacy written thousands of years ago contain valuable experiences and information about medicinal plants and phytotherapy [21-32, 101-116]. Medicinal plants are particularly important in different communities' health care systems [33-38], because they could be effective for prevention and treatment of different disorders and diseases such as pediatric diseases, neurological dysfunctions, digestive disorders, hormonal imbalances etc [39-45]. Also the role of the medicinal plants in learning and memory has recently attracted the attention of many researchers [46-49]. In this review article, we are going to report the native medicinal plants of Iran used for memory and learning.

In this review articles, relevant articles were searched for using the relevant search terms including memory, learning, spatial memory, medicinal plants, extract, essence, and Iran in the databases, Scopus, Google Scholar, SID, etc. Then, the findings of selected articles were analyzed.

According to the findings of different studies, *Rosmarinus officinale*, *Ficus carica*, *Melissa officinalis*, *Silybum marianum*, *Glycine max*, *Nigella sativa*, *Cannabis sativa*, *Origanum vulgare* L., and *Boswellia spp.* are some of the native medicinal plants of Iran that are used to improve memory and learning. Table 1 gives further information in this regard.

Alpha-pinene, limonene, camphone, camphor, and 1,8-cineol are some of the compounds of *R. officinale* [59]. Furacoumarines, flavonoids, phenolic acids, and phytosterols are some of the compounds of *F. carica* [60]. *M. officinalis* contains citril, citronel, geraniol, phenolic acids, triterpenes, tannins, and flavonoids [61-63]. *S. marianum* contains bioactive compounds such as silymarin, silydianin, silychristin, dihydrosilibine [64]. Thymoquinone is a main compound of *N. sativa* which many of the therapeutic effects of this plant have been attributed [65, 66]. The main compounds of *O. vulgare* L. include cis-sabinene hydrate, trans-sabinene hydrate acetate, cis-sabinene hydrate acetate, gamma-terpinene, alpha-terpinene, limonene, and terpeneols [67]. Alpha-pinene, limonene, camphone, camphor, 1,8-cineol, furanocoumarins, flavonoids, phenyl acids, citril, citronel, geraniol, triterpenes, tannins, flavonoids, silymarin and silydianin, silychrystin, dihydrosilibine, thymoquinone, tetrahydrocannabinol, cis-sabinene hydrate, trans-sabinene hydrate acetate, cis-sabinene hydrate acetate, gamma-terpinene, alpha-terpinene, and terpeneols are some of the effective compounds of these medicinal plants that are effective in improving memory and learning.

The mechanism actions of these plants are not fully understood. It has been shown that the memory functions are impaired after oxidative stress and oxidative stress contributes to learning and memory deficits following oxidative brain damage [68]. Furthermore antioxidants are effective in enhancement of learning and memory [46, 47].

Conclusion

The medicinal plants introduced in this paper also have antioxidant activity. Therefore, they might, at least in part, act on memory by enhancing antioxidant capacity of the body. If this hypothesis is reliable, hence other plants which have high antioxidant property [69-84] may also ameliorate learning and memory functions. It should be noted that in aging the memory is substantially impaired. On the other hand, aging is, in general, associated with increase in various diseases including diabetes mellitus, atherosclerosis, cancer and impaired immune system. Therefore, medicinal plants with antioxidant activity which are effective in these diseases [85-100] may be more beneficial in patients who are suffered from multiple diseases.

Conflict of Interests

There is no any conflict of interest.

Table 1. Native medicinal plants of Iran effective on spatial memory and learning

Row	Scientific name	Family	Persian name	Descriptions
1	<i>Rosmarinus officinale</i>	Lamiaceae	Aklil-Kohi	500 mg/kg of <i>R. officinale</i> caused decrease in motor activity of mice. Therefore, this plant can increase the ability of healthy and destroyed memory [50].
2	<i>Ficus carica</i>	Moraceae	Anjeer	A study on mice demonstrated that 400 mg/kg of <i>F. carica</i> extract caused a significant decrease in short-term memory compared to control group on the day 10 [51].
3	<i>Melissa officinalis</i>	Lamiaceae	Badranjb ooyeh	The first probe experiment demonstrated the positive effect of low dose (25 mg/kg) of <i>M. officinalis</i> on memory [52].
4	<i>Silybum marianum</i>	Asteraceae	Khar-maryam	Two hundreds mg/kg of <i>S. marianum</i> improved spatial memory on the days 7 and 28 in treatment group compared to lesion group [53].

5	<i>Glycine max</i>	Fabaceae	Soya	Daily intake of 60 mg/kg total extract of <i>G. max</i> for six weeks had a positive effect on learning and spatial memory of ovariectomized rats [54]
6	<i>Nigella sativa</i>	Ranunculaceae	Syahdaneh	A study demonstrated that 400 mg/kg of <i>N. sativa</i> extract improved learning and spatial memory of the mice significantly [55].
7	<i>Cannabis sativa</i>	Cannabaceae	Shahdaneh	A study demonstrated that in all experimental groups treated with 50, 100, and 150 mg/kg of <i>C. sativa</i> extract, the time needed to find hidden platform decreased significantly. Long-term strengthening of memory is done by the mechanism of inhibitory and stimulatory synaptic depolarization in CA1 region of the hippocampus dentate gyrus [56].
8	<i>Origanum vulgare</i> L.	Lamiaceae	Marzanj oosh	Intrahippocampal administration of aqueous extract of <i>O. vulgare</i> L. (0.3, 0.03, and 0.003 µg/kg) can decrease the total traveled distance and elapsed time needed to find the hidden platform in Morris water maze within the days of training [57].
9	<i>Boswellia spp.</i>	Burseraceae	Kondor	Aqueous extract of <i>B. spp.</i> (50 and 100 mg/kg) administered for four weeks caused a significant decrease in the elapsed time and traveled distance and led to learning and development of spatial memory [58].

References

1. Lee J. Memory reconsolidation mediates the strengthening of memories by additional learning. *Nat Neurosci* 2008; 11:1264-6.
2. Berman D, Dudai Y. Memory extinction, learning anew, and learning the new: dissociations in the molecular machinery of learning in cortex. *Science* 2001; 291: 2417-9.
3. Sharifzadeh M, Sharifzadeh K, Naghdi N, Ghahremani MH, Roghani A. Posttraining intrahippocampal infusion of a protein kinase AII inhibitor impairs spatial memory in rats. *J Neurosci Res* 2005; 79: 392-400.
4. Francis PT, Palmer AM, Snape M, Wilcock GK. The cholinergic hypothesis of Alzheimer's disease: a review of progress. *J Neurol Neurosurg Psychiatry* 1999; 66: 137-47.
5. Baradaran A, Rabiei Z, Rafieian M, Shirzad H. A review study on medicinal plants affecting amnesia through cholinergic system. *J Herbmed Pharmacol* 2012;1:3-9.
6. Bahmani M, Rafieian M, Baradaran A, Rafieian S, Rafieian-kopaei M. Nephrotoxicity and hepatotoxicity evaluation of *Crocus sativus* stigmas in neonates of nursing mice. *J Nephropathol* 2014; 3: 81-85.
7. Bahmani M, Saki K, Rafieian-Kopaei M, Karamati SA, Eftekhari Z, Jelodari M. The most common herbal medicines affecting *Sarcomastigophora* branches: a review study. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 14-21.
8. Bahmani M, Shirzad HA, Majlesi M, Shahinfard N, Rafieian-Kopaei M. A review study on analgesic applications of Iranian medicinal plants. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 43-53.
9. Parsaei P, Bahmani M, Karimi M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. A review of analgesic medicinal plants in Iran. *Der Pharm Lett* 2016; 8: 43-51.
10. Jivad N, Bahmani M, Asadi-Samani M. A review of the most important medicinal plants effective on wound healing on ethnobotany evidence of Iran. *Der Pharm Lett* 2016; 8: 353-7.
11. Rouhi-Boroujeni H, Asadi-Samani M, Moradi MT. A review of the medicinal plants effective on headache based on the ethnobotanical documents of Iran. *Der Pharm Lett* 2016; 8: 37-42.
12. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M, Boroujeni S. Shigellosis phytotherapy: A review of the most important native medicinal plants in Iran effective on *Shigella*. *Der Pharm Lett* 2016; 8: 249-55.
13. Jivad N, Asadi-Samani M, Moradi MT. The most important medicinal plants effective on migraine: A review of ethnobotanical studies in Iran. *Der Pharm Chem* 2016; 8: 462-66.

14. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M. The most important medicinal plants effective on constipation by the ethnobotanical documents in Iran: A review. *Der Pharm Lett* 2016; 8: 188-94.
15. Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. Iran's medicinal plants effective on fever in children: A review. *Der Pharm Lett* 2016; 8: 129-134.
16. Ahmadipour S, Ahmadipour Sh, Mohsenzadeh A, Asadi-Samani M. The importance of some native medicinal plants of Iran effective on gastrointestinal disorders in children: A review. *Der Pharm Lett* 2016; 8: 61-6.
17. Mohsenzadeh A, Ahmadipour Sh, Ahmadipour S, Asadi-Samani M. A review of the most important medicinal plants effective on cough in children and adults. *Der Pharm Lett* 2016; 8: 90-96.
18. Bahmani M, Abbasi J, Mohsenzadegan A, Sadeghian S, Gholami-Ahangaran M. *Allium sativum* L.: the anti-inflammatory activity compared to Niclosamide. *Comp Clin Path* 2013; 22: 165-168.
19. Forouzan S, Bahmani M, Parsaei P, Mohsenzadegan A, Gholami-Ahangaran M, et al. Anti-parasitic activities of *Zingiber officinale* methanolic extract on *Limnatis nilotica*. *Glob Vet* 2012; 9: 144-148.
20. Gholami-Ahangaran M, Bahmani M, Zia-Jahrom N. In vitro antileech effects of *Vitis vinifera* L., niclosamide and ivermectin on mature and immature forms of leech *Limnatis nilotica*. *Glob Vet* 2012; 8: 229-232.
21. Asadi-Samani M, Kafash-Farkhad N, Azimi N, Fasihi A, Alinia-Ahandani E, Rafieian-Kopaei M. Medicinal plants with hepatoprotective activity in Iranian folk medicine. *Asian Pac J Trop Biomed* 2015; 5:146-57.
22. Asadi-Samani M, Rafieian-Kopaei M, Azimi N. *Gundelia*: a systematic review of medicinal and molecular perspective. *Pak J Biol Sci* 2013; 16, 1238-1247.
23. Bahmani M, Zargaran A, Rafieian-Kopaei M. Identification of medicinal plants of urmia for treatment of gastrointestinal disorders. *Braz J Pharmacogn* 2014;24(4):468-80.
24. Bahmani M, Tajeddini P, Ezatpour B, Rafieian-Kopaei M, Naghdi N, Asadi-Samani M. Ethnobotanical study of medicinal plants against parasites detected in Shiraz, southern part of Iran. *Der Pharm Lett* 2016; 8: 153-60.
25. Asadi-Samani M, Kooti W, Aslani E, Shirzad H. A Systematic review of Iran's medicinal plants with anticancer effects. *J Evid Based Complementary Altern Med* 2016; 21: 143-53.
26. Parsaei P, Bahmani M, Naghdi N, Asadi-Samani M, Rafieian-Kopaei M, Tajeddini P, Sepehri-Boroujeni M. Identification of medicinal plants effective on common cold: An ethnobotanical study of Shiraz, South Iran. *Der Pharm Lett* 2016; 8: 90-7.
27. Rouhi-Boroujeni H, Mosharraf S, Gharipour M, Asadi-Samani M, Rouhi-Boroujeni H. Anti-hyperlipidemic effects of sumac (*Rhus coriaria* L.): Can sumac strengthen anti-hyperlipidemic effect of statins? *Der Pharma Lett* 2016;8:143-7.
28. Shirani M, Alibabaei Z, Kheiri S, Shirzad H, Taji F, Asgari A, et al. Effect of *Euphorbia helioscopia* extract on acute and chronic pain in mice. *J Babol Univ Med Sci* 2011;13: 14-18.
29. Asadi-Samani M, Bahmani M, Rafieian-Kopaei M. The chemical composition, botanical characteristic and biological activities of *Borago officinalis*: a review. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 22-28.
30. Bahmani M, Zargaran A, Rafieian-Kopaei M, Saki M. Ethnobotanical study of medicinal plants used in the management of diabetes mellitus in the Urmia, Northwest Iran. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 348-354.
31. Delfan B, Bahmani M, Hassanzadazar H, Saki K, Rafieian-Kopaei M. Identification of medicinal plants affecting on headaches and migraines in Lorestan Province, West of Iran. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 376-379.
32. Ghatreh Samani K, Farrokhi E, Mohandes Samani N. Elaidic acid effects on osteonectin gene expression in vascular smooth muscle cells. *ZUMS J* 2014;23:103-11.
33. Saki K, Bahmani M, Rafieian-Kopaei M. The effect of most important medicinal plants on two important psychiatric disorders (anxiety and depression)-a review. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 34-42.
34. Asadbeigi M, Mohammadi T, Rafieian-Kopaei M, Saki K, Bahmani M, Delfan B. Traditional effects of medicinal plants in the treatment of respiratory diseases and disorders: an ethnobotanical study in the Urmia. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 364-368.
35. Bahmani M, Shirzad H, Rafieian S, Rafieian-Kopaei M. *Silybum marianum*: Beyond Hepatoprotection. *J Evid Based Complementary Altern Med* 2015;20:292-301.

36. Rouhi-Boroujeni H, Rouhi-Boroujeni H, Rouhi-Boroujeni P, Sedehi M. Long-term pulmonary functional status following coronary artery bypass grafting surgery. *ARYA Atheroscler* 2015;11:163-6.
37. Saki K, Bahmani M, Rafieian-Kopaei M, Hassanzadazar H, Dehghan K, Bahmani F, Asadzadeh J. The most common native medicinal plants used for psychiatric and neurological disorders in Urmia city, northwest of Iran. *Asian Pac J Trop Dis*. 2014; 4(Suppl 2): 895-901.
38. Rouhi-Boroujeni H, Rouhi-Boroujeni H, Heidarian E, Mohammadzadeh F, Rafieian-Kopaei M. Herbs with anti-lipid effects and their interactions with statins as a chemical antihyperlipidemia group drugs: A systematic review. *ARYA Atheroscler* 2015;11:244-51.
39. Rabiei Z, Bigdeli MR, Asadi-Saamni M. The effect of dietary virgin olive oil on brain lipid levels and brain edema in rat stroke models. *ZUMS J* 2013; 21:56-64.
40. Kooti W, Ghasemiboroon M, Ahangarpour A, Hardani A, Amirzargar A, Asadi-Samani M. The effect of hydro-alcoholic extract of celery on male rats in fertility control and sex ratio of rat offspring. *J Babol Univ Med Sci* 2014; 16:43-9.
41. Kooti W, Ghasemiboroon M, Asadi-Samani M, Ahangarpour A, Zamani M, Amirzargar A, et al. The Effect of halcoholic extract of celery leaves on the delivery rate (fertilization and stillbirths), the number, weight and sex ratio of rat off spring. *Adv Environ Biol* 2014; 8: 824-830.
42. Kooti W, Ghasemiboroon M, Asadi-Samani M, Ahangarpour A, Noori Ahmad Abadi M, Afrisham R, et al. The effects of hydro-alcoholic extract of celery on lipid profile of rats fed a high fat diet. *Adv Environ Biol* 2014; 8: 325-330.
43. Beyrami-Miavagi A, Farokhi F, Asadi-Samani M. A study of the effect of prostodin and hydroalcoholic extract of *Malva neglecta* on kidney histopathology and renal factors in female rats. *Adv Environ Biol* 2014; 8: 942-947.
44. Kooti W, Ahangarpour A, Ghasemiboroon M, Sadeghnezhadi S, Abbasi Z, Shanaki Z, et al. Effect of *Apium graveolens* leaf extract on serum level of thyroid hormones in male rat. *J Babol Univ Med Sci*. 2014; 16: 44-50.
45. Samarghandian S, Asadi-Samani M, Farkhondeh T, Bahmani M. Assessment the effect of saffron ethanolic extract (*Crocus sativus* L.) on oxidative damages in aged male rat liver. *Der Pharm Lett* 2016; 8: 283-90.
46. Rabiei Z, Hojjati M, Rafieian-Kopaeia M, Alibabaei Z. Effect of *Cyperus rotundus* tubers ethanolic extract on learning and memory in animal model of Alzheimer. *Biomed Aging Pathol* 2013;3:185-91.
47. Rahnama S, Rabiei Z, Alibabaei Z, Mokhtari S, Rafieian-kopaei M, Deris F. Anti-amnesic activity of *Citrus aurantium* flowers extract against scopolamine-induced memory impairments in rats. *Neurol Sci* 2015;36:553-60.
48. Rabiei Z, Rafieian-kopaei M, Heidarian E, Saghaei E, Mokhtari S. Effects of *zizyphus jujube* extract on memory and learning impairment induced by bilateral electric lesions of the nucleus basalis of meynert in rat. *Neurochem Res* 2014;39:353-60.
49. Rabiei Z, Rafieian-Kopaei M, Mokhtari S, Alibabaei Z, Shahrani M. The effect of pretreatment with different doses of *Lavandula officinalis* ethanolic extract on memory, learning and nociception. *Biomed Aging Pathol* 2014;4:71-6.
50. Hosseinzadeh H, Karimi G, Nobakht N. Effects of *Rosmarinus officinalis* L. aerial parts essential oil on intact memory and scopolamine-induced learning deficits in rats performing the Morris water maze task. *J Med Plants* 2004; 4:51-57.
51. Davoodian-Dehkordi A, Hojjati M, Yousefi M, Moshtaghi A, Rahimian R, Rafieian M. The effect of hydro-alcoholic extract of dried *Ficus carica* on spatial learning and memory in mice. *J Shahrekord Univ Med Sci* 2011; 12:1-7.
52. Yosofi M, Hojjati M, Moshtaghi A, Rahimiyani R, Dawodiyan-Dehkordi A, Rafieian M. The effect of hydro-alcoholic extract of *Melissa officinalis* on learning and spatial memory in Balb/c mice. *J Shahrekord Univ Med Sci* 2011; 13:51-59.
53. Hadinia A, Aryanpour R, Mehdizadeh M, Mahmodi R, Mossavizadeh A, Delaviz H, et al . The Effect of *Silybum marianum* on GFAP and Spatial Memory in a Mouse Model of Alzheimer's Disease. *Armaghane Danesh* 2010; 14:65-75
54. Nasirzadeh MR, Babapour V, Ahmadiasl N, Nazemiyeh H, Soleymani Rad J. Effect of soybean methanol extract on learning and spatial memory in ovariectomized female rats. *Med J Tabriz Univ Med Sci Health Serv* 2009; 31: 75-78.
55. Tamadonfard Z, Sepehrara L, Jovhari H. The effect of *Nigella sativa* extract (*Nigella sativa*) on spatial learning and memory in rats. *Pars J Med Sci* 2014; 12: 1-16.

56. Kafaee-Razavi M, Ebrahimipour S, Tehranipour M, Behnam Rasouli M. The investigation of the long-term effects of aquatic extraction of *Cannabis sativa* on spatial memory consolidation in Rats. *Arak Med Univ J*. 2010;13: 125-133.
57. Haghpanah T, Esmailpour Bezanjani K, Afarinesh Khaki M R, Sheibani V, Abbasnejad M, Masoomi Ardakani Y. Effect of intra-hippocampal injection of *Origanum vulgare* L. ssp. *viridis* leaf extract on spatial learning and memory consolidation. *J Kashan Univ Med Sci*. 2011; 14:380-387.
58. Sadeghi F, Khalaj-Kondori M, Feizi H, Shaikhzadeh Hesari F. The effect of aqueous extract of *boswellia* on learning and spatial memory in adult male rats. *J Zanjan Univ Med Sci Health Serv* 2014;22: 122-131.
59. Al-Sereiti MR, Abu-Amer KM, Sen P. Pharmacology of rosemary (*Rosmarinus officinalis* Linn.) and its therapeutic potentials. *Indian J Exp Biol* 1999; 37: 124-30.
60. Perez C, Canal J, Torres M. Experimental diabetes treated with *ficus carica* extract: effect on oxidative stress parameters. *Acta Diabetol* 2003; 40: 3-8.
61. Peake PW, Pussell BA, Martyn P, Timmermans V, Charlesworth JA. The inhibitory effect of Rosmarinic acid on complement involves the C5 convertase. *J Immunopharmacol* 1991;13:853-885.
62. Yamasaki K, Nakano M, Kawahata T, Mori H, Otake T, Ueba N, et al. Anti-HIV-1 activity of herbs in Labiatae. *Biol Pharm Bull* 1998;21:829-833.
63. Larrondo JV, Agut M, Calvo-Torras MA. Antimicrobial activity of essences from Labiates. *Microbios* 1995;82:171-172.
64. Dicenzo R, Shelton M, Jordan K, Koval C, Forrest A, Reichman R, Morse G. Coadministration of milk thistle and indinavir in healthy subjects. *Pharmacology* 2003; 23: 866-870.
65. Burits M, Bucar F. Antioxidant activity of *Nigella sativa* essential oil. *Phytother Res* 2000; 14; 323–328.
66. Veldhuis W, van der Stelt M, Wadman M, van Zadelhoff G, Maccarrone M, Fezza F, et al. Neuroprotection by the endogenous cannabinoid anandamide and arvanil against in vivo excitotoxicity in the rat: role of vanilloid receptors and lipoxygenases. *J Neurosci* 2003; 23: 4127-33.
67. LaGow B (Chief ed.), *PDR for herbal 6*. LaGow B (Chief ed.), *PDR for herbal Medicine*. Third edition, Thomson PDR, USA, 2004, pp: 808 -9, 609 - 10.
68. Fukui K, Onodera K, Shinkai T, Suzuki S, Urano S. Impairment of learning and memory in rats caused by oxidative stress and aging, and changes in antioxidative defense systems. *Ann N Y Acad Sci*. 2001;928:168-75.
69. Mardani, S, Nasri H, Rafieian-Kopaei M, Hajian S. Herbal medicine and diabetic kidney disease. *J Nephropharmacol* 2015; 2: 1-2.
70. Nasri H, Rafieian-Kopaei M. Tubular kidney protection by antioxidants. *Iran J Public Health* 2013; 42:1194-1196.
71. Nasri H, Rafieian-Kopaei M. Oxidative stress and aging prevention. *Int J Prev Med* 2013; 4: 1101-1102.
72. Setorki M, Rafieian-Kopaei M, Merikhi A, Heidarian E, Shahinfard N, Ansari R, Nasri H, Esmael N, Baradaran A. Suppressive impact of *anethum graveolens* consumption on biochemical risk factors of atherosclerosis in hypercholesterolemic rabbits. *Int J Prev Med* 2013; 4: 889-95.
73. Akhlaghi M, Shabani Gh, Rafieian-Kopaei M, Parvin N, Saadat M, Akhlaghi M. *Citrus aurantium* Blossom and Preoperative. *Rev Bras Anesthesiol* 2011; 61:702-712.
74. Sarrafchi A, Bahmani M, Shirzad H, Rafieian-Kopaei M. Oxidative stress and Parkinson's disease: New hopes in treatment with herbal antioxidants. *Curr Pharm Des* 2016; 22: 238 – 246.
75. Nasri H, Shirzad H, Baradaran A. Rafieian-kopaei M. Antioxidant plants and diabetes mellitus. *J Res Med Sci* 2015; 20:491-50.
76. Rafieian-Kopaei M, Setorki M, Doudi M, Baradaran A, Nasri H. Atherosclerosis: Process, Indicators, Risk Factors and New Hopes. *Int J Prev Med* 2014;5:927-46.
77. Mirhosseini M, Baradaran A, Rafieian-Kopaei M. *Anethum graveolens* and hyperlipidemia: A randomized clinical trial. *J Res Med Sci* 2014;19:758-61.
78. Heidarian E, Movahed-Mohammadi G, Saffari J, Ghatreh-Samani K. Protective effect of hydroethanolic extract of *cress* against hepatotoxicity due to acetaminophen in rats. *J Mazandaran Univ Med Sci* 2013;23:78-90.
79. Ghanavati T, Ghatreh-Samani K, Farrokhi E, Heydarian E, Nikookar M. Effect of gallic acid on Alkaline phosphatase gene expression in vascular smooth muscle cells. *J Mazandaran Univ Med Sci* 2015;25:17-25.

80. Rafieian-Kopaei M, Baradaran A, Rafieian M. Oxidative stress and the paradoxical effects of antioxidants. *J Res Med Sci*. 2013; 18: 629.
81. Nasri H, Rafieian-Kopaei M. Protective effects of herbal antioxidants on diabetic kidney disease. *J Res Med Sci* 2014;19:82-3.
82. Baradaran A, Nasri H, Nematbakhsh M, Rafieian-Kopaei M. Antioxidant activity and preventive effect of aqueous leaf extract of Aloe Vera on gentamicin-induced nephrotoxicity in male Wistar rats. *Clin Ter* 2014;165:7-11.
83. Nasri H, Abedi-Gheshlaghi Z, Rafieian-Kopaei M. Curcumin and kidney protection; current findings and new concepts. *Acta Persica Pathophysiol* 2016; 1:e01.
84. Baradaran A, Nasri H, Rafieian-Kopaei M. Comment on: Anti-oxidative stress activity of *Stachys lavandulifolia* aqueous extract in humans. *Cell J* 2013;15: 272-3.
85. Nasri H, Nematbakhsh M, Rafieian-Kopaei M. Ethanolic extract of garlic for attenuation of gentamicin-induced nephrotoxicity in Wistar rats. *Iran J Kidney Dis* 2013;7:376-82.
86. Nasri H, Rafieian-Kopaei M. Medicinal plants and new concerns in statin consumption. *Iran J Publ Health* 2013; 42: 1071-1072.
87. Baharvand-Ahmadi B, Bahmani M, Eftekhari Z, Jelodari M, Mirhoseini M. Overview of medicinal plants used for cardiovascular system disorders and diseases in ethnobotany of different areas in Iran. *J Herbmmed Pharmacol* 2016;5:39-44.
88. Madihi Y, Merrikhi A, Baradaran A, Rafieian-Kopaei M, Shahinfard N, Ansari R, et al. Impact of Sumac on postprandial high-fat oxidative stress. *Pak J Med Sci* 2013;29(Suppl 1):340-5.
89. Taghikhani M, Nasri H, Asgari A, Afrough H, Namjoo AR, Ansari-Samani R, Shahinfard N, Rafieian-kopaei M. The renal toxicity of hydroalcoholic extract of *Stachys lavandulifolia* Vahl in Wistar rats. *Life Sci J* 2012; 9: 3025-31.
90. Heidarian E, Rafieian-Kopaei M. Protective effect of artichoke (*Cynara scolymus*) leaf extract against lead toxicity in rat. *Pharm Biol* 2013;51:1104-9.
91. Moghim H, Taghipoor S, Shahinfard N, Kheiri S, Heydari Z, Rafieian S. Antifungal effects of *Allium ascalonicum*, *Marticaria chamomilla* and *Stachys lavandulifolia* extracts on *Candida albicans*. *J Herbmmed Pharmacol* 2014; 4:9-14
92. Rahimi-Madiseh M, Heidarian E, Rafieian-kopaei M. Biochemical components of *Berberis lycium* fruit and its effects on lipid profile in diabetic rats. *J Herbmmed Pharmacol*. 2014; 3: 15-19
93. Sewell RDE, Rafieian-Kopaei M. The history and ups and downs of herbal medicine usage. *J Herbmmed Pharmacol* 2014; 3: 1-3.
94. Khodadadi S, Rafieian-Kopaei M. Herbs, health and hazards; a nephrology viewpoint on current concepts and new trends. *Ann Res Antioxid*. 2016; 1:e05.
95. Sharafati-chaeshtori R, Mahmoud Rafieian-kopaei M. Screening of antibacterial effect of the *Scrophularia Striata* against *E. coli* in vitro. *J Herbmmed Pharmacol* 2014; 3: 31-34.
96. Bahmani M, Rafieian-Kopaei M, Hassanzadazar H, Saki K, Karamati SA, Delfan B. A review on most important herbal and synthetic antihelmintic drugs. *Asian Pac J Trop Med* 2014; 7(Suppl 1): 29-33.
97. Sedighi A, Gholami M, Rafieian-kopaei M. Study of the effect of plant growth regulators, size, and cultivar of the grape inflorescence explant on production of phenolic compounds in an in vitro condition. *J Herbmmed Pharmacol*. 2014; 3: 35-40.
98. Jafarpoor N, Maleki SA, Asadi-Samani M, Khayatnouri MH, Najafi Gh. Evaluation of antidepressant-like effect of hydroalcoholic extract of *Passiflora incarnata* in animal models of depression in male mice. *J Herbmmed Pharmacol* 2014; 3: 41- 45
99. Baharara J, Zafar-Balanejad S, Kamareh E, Asadi-Samani M. The effects of green tea extract on teratogenicity induced by low frequency electromagnetic field on bone marrow Balb/C mice embryo. *J Herbmmed Pharmacol* 2014; 3: 47-51.
100. Khoshdel A, Famuri F, Keivani E, Lotfizadeh M, Kasiri KA, Rafieian M. The effect of aqueous *Elaeagnus angustifolia* extract on acute non-inflammatory diarrhea in 1-5 year old children. *J Herbmmed Pharmacol* 2014; 3: 53-56.
101. Masitha Dewi Sar, Aslim D Sihotang, Aznan Lelo(2016)., Ginkgo Biloba Extract Effect on Oxidative Stress Marker Malondialdehyde, Redox Enzyme Glutathion Peroxidase, Visual Field Damage, and Retinal Nerve Fiber Layer Thickness in Primary Open Angle Glaucoma, *International Journal of PharmTech Research*, (2016), Vol.9, No.3, pp 158-166.

102. Nasdiwaty Daud, Rosidah, M Pandapotan Nasution(2016), Antidiabetic Activity of Ipomoea batatas L. Leaves Extract In Streptozotocin-Induced Diabetic Mice, International Journal of PharmTech Research, (2016), Vol.9, No.3, pp 167-170.
103. Luqman Agung Wicaksono, Yunianta, and Tri Dewanti Widyaningsih(2016), Anthocyanin Extraction from Purple Sweet Potato Cultivar Antin-3 (Ipomoea batatas L.) using Maceration, Microwave Assisted Extraction, Ultrasonic Assisted Extraction and Their Application as Anti-Hyperglycemic Agents in Alloxan-Induced Wistar Rats, International Journal of PharmTech Research, (2016), Vol.9, No.3, pp 180-192.
104. Rise Desnita, Maria Veronika, Sri Wahdaningsih(2016), Topical Microemulsion's Formulation of Purple Sweet Potato (Ipomoea batatas L.) Ethanol Extract as Antioxidant by using Various Concentration of Span 80, International Journal of PharmTech Research, (2016), Vol.9, No.3, pp 234-239.
105. Vijay D. Tambe, Rajendra S. Bhambar(2016), Studies on Diuretics and Laxative Activity of the Hibiscus Tiliaceus Linn. Bark Extracts, International Journal of PharmTech Research, (2016), Vol.9, No.3, pp 305-310.
106. Pushpendra Kumar Jain, Debajyoti Das, Puneet Jain(2016), Evaluating Hair Growth Activity of Herbal Hair Oil, International Journal of PharmTech Research, (2016), Vol.9, No.3, pp 321-327.
107. Rubila. S, Ranganathan T.V.(2016), Effect of Allium sativum paste against Antimicrobial, Antioxidant and Cytotoxicity activity, International Journal of PharmTech Research, (2016), Vol.9, No.3, pp 328-332.
108. Jitendra O. Bhangale, Niyati S. Acharya, Sanjeev R. Acharya(2015), Neuroprotective effect of pet ether extract of Ficus religiosa (L.) leaves in 3-nitropropionic acid induced Huntington Disease, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 57-69.
109. A.M.Shaikh, B.Shrivastava, K.G.Apte, S.D.Navale(2015), Effect of Aqueous Extract of Curcuma zedoaria and Gloriosa superba Against DMH-Induced Colon Carcinogenesis In Wistar Rats, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 88-94.
110. Mona Al-Terehi, Ali H. Al-Saadi, Haider K. Zaidan, Zahraa H. Alkaim,Rajaa Ali Habeeb, Noora Majed (2015), Some herbal medicinal plants activity against Candida spp which resistance to antifungal drugs, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 146-150.
111. Mona Al-Terehi, Ali H. Al-Saadi, HaiderK.Zaidan, Russul Hikmat Behjet, Zahraa Haleem(2015), Some plants extracts Synergism effects in Pathogenic bacteria, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 158-164.
112. Ragavan Balliah, Monisha Sudhakar(2015), In Vitro Evaluation of Cytotoxic and Antiproliferative Activity of a Polyherbal Extract against H9c2 Cardiac Cells, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 191-197.
113. R.Jasmine, Sakthivel H(2015), Role of compounds from Terminalia chebula exhibiting Anti-Cholesterol property, International Journal of PharmTech Research, (2015), Vol.8, No.10, pp 210-215.
114. Helmina Br. Sembiring, Tonel Barus, Lamek Marpaung, and Partomuan Simanjuntak(2015) , Antioxidant and Antibacterial Activity of Some Leaves Extracts (Methanol, Ethyl Acetate and N-Hexane) of Scurrula fusca G.Don, International Journal of PharmTech Research, Vol.8, No.9, pp 24-30.
115. Aprilita Rina Yanti, Maksum Radji, Abdul Mun'im, and FD Suyatna(2015), Antioxidant effects of Methanolic extract of Phaleria macrocarpa (Scheff.) Boerl in fructose 10%-induced rats, International Journal of PharmTech Research, (2015), Vol.8, No.9, pp 41-47.
116. Jansen Silalahi, Dwi Pertiwi, Aminah Dalimunthe, Yosy C E Silalahi(2015), Effect of Acute Consumption of Coconut and Palm Oil on Swimming Capacity Endurance of Mice (Mus musculus), International Journal of PharmTech Research, (2015), Vol.8, No.9, pp 55-59.
