

Evaluation of the presence of Emerging Pollutants "Ibuprofen" from Water Resources, as a Strategy oriented to Sustainable Development

Cifuentes Cetina, Angie Rocío¹; Avila Viatela,
Joahan Katherine², Rodríguez Miranda, Juan Pablo^{3*}

¹Licenciada en Química. Msc (Candidato) En Ciencias Ambientales. Universidad Jorge Tadeo Lozano, Colombia

²Licenciada en Química. Msc (Candidato) En Ciencias Ambientales. Universidad Jorge Tadeo Lozano, Colombia.

^{3*}Ingeniero Sanitario y Ambiental. Magister en Ingeniería Ambiental. PhD (Candidato) Profesor Asociado. Universidad Distrital Francisco José de Caldas. Director del grupo de investigación AQUAFORMAT., Colombia

Abstract : Population growth, agribusiness development and daily activities that we develop as a society, involves generating alterations to our environment and surroundings. Currently, there is a growing interest in the emerging contaminants (EC), as they are composed of different origin and chemical nature, whose presence in the environment, or the possible consequences thereof, have not been studied, causing environmental problems, health and ecosystems risks. Some reviews give a strategy to solve the problem of dumping of these pollutants specifically "Ibuprofen" having a high rate of consumption worldwide because it has no restrictions on the sale.

Today, there is no policy to control these pollutants, and implementations of monitoring technologies are expensive because the concentration levels are very low and are difficult to stop. Its adverse effects on aquatic life, animals and humans are a growing concern. This article reviews recent studies on the properties, sources, fate and effects of these pollutants. Finally, it gives the suggestion and the risk management to control in a sustainably way these products from a clean development mechanism in relation to the creation and enforcement of environmental regulations

Keywords : Emerging Pollutants, Ibuprofen" from Water Resources, Sustainable development.

Introduction

The impact on the environment is a concern that today is increasingly alarming, this is caused by man since there is no awareness of misuse given to different materials discharged into the environment; in addition to the exponential growth that has taken the population, more people generate greater expenditure of resources and waste production¹. Since sustainability is affected a high rate on health and the environment being a complex issue in the world¹. Today a topic of great interest is the presence of emerging contaminants, recently identified in water resources ². These EC pose a difficult problem because they are not biodegradable and usually have high toxicity to aquatic organisms, making an intervention in the human food chain causing various disorders and diseases.

These pollutants have different chemical and biological properties ³. Several toxic effects have been associated with exposure to these EC and its components. These can be acute or chronic type, related to the type of compounds, the type of population exposed and the characteristics of such exposure ⁴.

For example with the industrialization, it has increased the use of resources which has generated pollution in ecosystems and degradation of natural resources. Therefore it is of great importance to reduce the rates of pollution generated by industrial activity ⁵. For this reason there are several technologies that address this type of toxic wastes (by removing containing ions), among which are: precipitation, ultrafiltration, nanofiltration, reverse osmosis, electrodialysis and electrolysis. Certain methods can remove up to 99% of the toxicity of these low - concentration pollutants.

Unfortunately, despite its effectiveness, the high cost of installation and maintenance of these technologies makes it impossible to apply to small and medium enterprises. Consequently, the agroindustrial sector and daily activities that develop as a society involves aqueous discharges of highly polluting waste ⁶.

Before this, the challenges that must be met to minimize risks to drinking water and ecosystems are becoming larger ⁷, which remain unregulated and monitored by most of the countries ³ being a worrying problem of environmental legislation. In this article we reviewed studies through the presence of emerging contaminants "ibuprofen" in different water resource and its impact on these ecosystems from a sustainable perspective ⁸, through a review of their assessment, toxicological properties, sources, transport in areas of study, treatment and legislation.

Method

The literature review has been made with Science Direct and Scopus data bases on the impact of emerging pollutants (EC) in relation to sustainable development consultation. The review was made only for articles between 2010 and 2014, but in some of them there were important information of previous years, which were used. About 120 items were consulted of which 60 were used for the review of this article. The importance of this issue is because of population growth, agro - industrial development and daily activities that develops as a society explaining changes about environmental and environment.

These emerging contaminants (EC) today are of interest because they are composed of different origin and chemical nature, whose presence in the environment, or the possible consequences of it, have not been studied, causing environmental problems, risk health and safety of the public consumption. One of the challenges that must be met to minimize the risks for drinking water and ecosystems ⁷ is the regulation and environmental legislation by most countries ⁹, developing the knowledge and methodologies necessary to measure and evaluate the effects and risks associated with a large number of emerging contaminants ¹⁰. As in this case ibuprofen for its high rate of consumption consequent to according to the free sale, not proving sustainable because pollution sources of this drug that may vary in scope and composition generating public health problems at all economic, environmental and social development levels ¹¹.

Development of the Topic

Emerging contaminants EC

Since the Industrial Revolution, a variety of chemical inventions has affected the environment and aquatic systems in urban environments ⁵. Since then, there has been a concern and scientific interest, on the handling of different chemicals used in agricultural, commercial, domestic and industrial areas, thus leading to misuse and awareness, due to various anthropogenic sources that increased the levels of pollutants, item that go unnoticed in the society.

Most of these pollutants are not detected by sewage treatment plants, but their variety and presence in rivers can cause serious damage to human health and the environment. The remains of drugs are known as emerging contaminants, increase in rivers and aquifers for various reasons resulting from human activity and remains of medicines that are not fully assimilated by the body and pass sewage, drugs thrown away or the toilet, or residues of chemicals administered to animals washed away by rain ¹².

These emerging pollutants, may be of different origin and chemical nature having hydrophilic functional properties (those that do persistent), many of these new compounds tend to be polar and water soluble, achieving be resistant to the environment ^{13,14}. The annual demand for these contaminants is high, related to world population growth, which implies a high rate of contamination will not be sustainable for any country, because their research is expensive and being their low concentrations is necessary to find new optimal

techniques and low cost to make it sustainable. Following is a review of recent studies on the sources, occurrence, fate and effects of the most common drugs such as ibuprofen.

Ecotoxicological evaluation of EC

Ecological concerns of emerging contaminants, lies in the low information and their biological effects, as well as in its potential ecotoxicological impact evaluation¹⁵. Today, the effects are not yet fully understood; however, many of these modulate in the endocrine system and the immune system indicating its potential on the homeostasis of aquatic organisms¹⁶. Ecotoxicological models use micro-organisms, species of fish, crustaceans, among others, but they fail to describe the effect of drugs on aquatic communities. These tests are guaranteed by the Environmental Protection Agency of United States (EPA), are acute toxicity tests¹⁷.

These tests were exposed by the Scandinavian Society of Cell Toxicology order to describe the toxicity of drugs. They have been of great importance for the description of toxic effects expressed as effective concentration 50 (EC50) and classify the substances as very toxic to aquatic organisms (<1 mg / L, evaluated in Dañina Magna), toxic with values close to 10 mg/ L, and harmful to aquatic life with values ranging from 10-100 mg L of the active ingredient (Methods for determination of ecotoxicity).

Evaluation in human and ecotoxicological risks caused by the environment and the EC remains difficult due to exposure and quantification of drugs because often there are no satisfactory data to determine your risk, causing a major environmental problem caused by accumulation in flora and fauna entering the human food chain and giving rise to various disorders and diseases.

Why ibuprofen? And their toxicological effects

Unlike the various contaminants found in water, drugs are molecules having physicochemical properties and biological activity on different organisms, their persistence in the environment facilitates bioaccumulation. These drugs because of its chemical structure tend to be polar and water soluble, remain persistent in the environment. Within their parameters these drugs have weak acidic and basic behaviors so that their distribution depends on the pH of the medium and the acidity constant (Ka). It is indicating that the bile of some fish by its lipophilic nature is a good matrix for drug analysis biomagnifications in aquatic ecosystems¹⁸. Also other of its properties is its high distribution and biomagnifications.

Ibuprofen addressed in this study, is classified as an analgesic drug and globally has a high rate of consumption, due to its counter and considered by high rate of self - medication¹⁹. In Colombia the annual employment is high and also presents a high rate of pollution in wastewater.

Toxic and ecological risks of this drug is found in the aquatic environment with chronic toxic effects (such as regeneration polyp inhibited and reduced reproduction,²⁰) also the possibility of resistant bacterial strains develop ago these compounds are ineffective for the purpose for which they were designed²¹. Their concentrations in the environment and its toxic effects on organisms manage risks to human health and the environment, which causes a costly consequence in terms of environmental impact, and loss of biodiversity²².

Sources of EC

The consumption of pharmaceutical products worldwide is high, especially in developed countries²³. From various reviews, it was analyzed that consumption patterns and excretion of drugs, such as ibuprofen, which is ingested 276.1 tons annually²⁴. These pollutants are generally released into the aquatic environment from point sources such as drugs excreted into the sewer system or landfills^{25,26} wastewater effluent hospital, runoff breeding sites and aquaculture animals²⁷. Even an apparent insignificant source as individual households can increase the level of pharmaceuticals in water through consumption and unused drugs through sinks and drains, as revised by²⁸. These major sources of emerging contaminants reach the sewage plants (Table 1) in a minimum concentration worldwide. In rivers it is common to find these pollutants that go to other bodies of water, including aquifers, estuaries and marine systems.

Table 1. Data of ibuprofen concentration in a concentration range (ng/l) measured worldwide ²⁹.


Compound	Ng concentration range (ng l)						Percentage of the compound excreted
Analgesics and antiinflammatory	North America		Europe		Asia and Australia		
	Effluent treatment plants	Freshwater: rivers, channels	Effluent treatment plants	Freshwater: rivers, channels	Effluent treatment plants	Freshwater: rivers, channels	
Ibuprofen	220 - 3600	0 - 34.0	134 - 7100	14 - 44	65 - 1758	28 - 360	≤ 5

Studies on the fate and treatment

Due to increased world population and growing demands for water supply in conjunction with the changes induced by climate and hydrological regimes, several pollutants entering these water bodies. Currently, treatment processes applied to reduce urban wastewater didn't completely eliminate this type of pollutants with their subsequent release in terrestrial and aquatic environment affecting the food chain and the entire ecosystem through disposal and reuse ³⁰. Usually existing wastewater treatment plants were not designed for these unidentified contaminants.

Over recent years, studies have tried basically to optimize and develop technologies for wastewater treatment capable of eliminating satisfactorily these emerging compounds and prevent the spread of contamination in the aquatic environment. To limit or prevent these compounds from entering surface waters and aquifers, it has been studied the application of technologies that today are expensive but it is important because of the consequences involving these pollutants. For analysis of ibuprofen they have been primarily employed gas chromatography and liquid mass spectrometry to analyze their concentration (Table 2).

Table 2. Antibiotics (Ibuprofen) reported in environmental matrix, ¹⁷.

Compound (Ibuprofen)	Ng concentration (mg/L) matrix	Method identification	Reference
	Sediment: 35.83 Fresh water: 4.3	HPLC/MS/MS	(Vázquez, 2011)

These treatments are related to environmental and health policy. Currently in Colombia there aren't environmental regulations for these pollutants and globally is not very versatile. To implement strategies for the EC treatments should have a clear regulation, to fulfill the minimum admissible avoiding high concentration rates that have occurred.

Sustainable perspective of emerging contaminants

Pharmaceuticals play an important role in society, but today with the high rate of population the demand for these products has increased unfavorably because sustainability is not analyzed, affecting society, economic, politically and environmentally. These products having chemical properties have environment and human health impacts, the problem that has arisen is the misuse that has occurred because the sale of these drugs has no restrictions, generating a high cost of consumption; the dose plays an important role ³¹. In a broad spectrum of security, but largely hidden from the effects that unknown the patient. Reducing ambient levels will related to dose selection for prescribing/dispensing achieving reduction in multiple and interconnected using drugs to adverse human health impacts, the medical cost, public attention safety and environment, these drugs ³² promoted different problems not only social, also environmental (with attendant abuse, misuse, and other risks posed by self-medication).

Storage generated by consumers' unintentional poisonings having health problems. His reckless provision can amplify the introduction into the environment and generate social costs³³. This lack of awareness brings problems to health resources. Environmental management of medicines involves in part the need to reduce the incidence of these pollutants in water resources³⁴, which reach the aquatic fauna, the terrestrial environment and food sources. To achieve a sustainable strategy, it is necessary to promote optimal decreed pharmaceuticals consumption³⁵.

Today, there is no definite regulation for these pollutants. For this reason it is necessary to assess the risks of these chemicals to human health³⁶ and for the ecosystems since the implementation of environmental policies worldwide. It has also become clear that it is not possible alone, countries develop knowledge and methodologies for measuring and evaluating the effects and risks associated with a large number of emerging contaminants should be checked efficient technologies sustainably³⁷.

Discussion

The identification and prevention of emerging contaminants in water is an environmental problem of great impact, because there are more pollutants, with different sources. Predicting the behavior that makes the environment poses a problem in different ecosystems which are filtered surface water, sediments, soil, groundwater, aquatic food web, as well as wastewater or potable water. To evaluate the transfer time of the different pollutants between different environmental compartments, is necessary innovative technologies of reliable analysis detection and sensitivity monitoring that detect these low concentrations, related with transportation modeling and destinations that have these pollutants and the spread and effects that bring to ecosystems (ecotoxicology) and human health (toxicology).

To achieve control and mitigation methods for the treatment and removal of contaminants such as ibuprofen and thus analyzed in the review, should develop, implement and evaluate measures for the sustainable management through environmental policies and technologies to control and reduce the spread and impact of emerging pollutants on water quality, achieving an improvement in the economic, social, political and environmental development.

Conclusion

With the rapid economic development, better living conditions leads to longer life expectancy, which generated an increase in the world population giving place to increased demand for various products including pharmaceuticals bringing big environmental problems. These so - called emerging contaminants have a major environmental impact due to misuse given and the difficult removal in ecosystems among them, water resources, which come from different sources of transport. Although today there is a wide availability of sensitive analytical instrumentation to characterize these pollutants, the risk assessment on human health and ecosystems remains difficult, due to quantifying exposure is difficult because of its nature since treatment plants are not designed to measure in many countries because the concentrations are very low, also they are not yet as well known by society and are difficult to predict.

The data found in research papers, from Europe, America and Asia where environmental legislation is not defined arbitrary causing another problem to these contaminants. According to the research data they are not yet conclusive as to its ecotoxicology since concentrations are difficult to extrapolate in natural systems where sensitive species can be long - term exposure to multiple pollutants in relation to exposure and effects should be extended more research also, to take more stable measurements.

It also must know the different sources and from these develop methods fate and transport of contaminants as in this case of Ibuprofen, since this compound can reach the transferred terrestrial or aquatic food chain of consumer products in water waste from households, hospitals and industries, causing major problems in health and environmentally, in effect should regulate the sale of this medication, or analyze your dose, since, not being managed in a sustainable way, because consumer investment is high, being self-medicated, causing economic, political, social, cultural and environmental problems.

References:

1. Olivero, J. (2011) Colombia: Environmental Health Issues, In Encyclopedia of Environmental Health, edited by J.O. Nriagu, Elsevier, Burlington, 740-754 p.
2. Bolong, N. (2009) A review of the effects of emerging contaminants in wastewater and options for their removal, Desalination, Vol 239, Issues 1–3 229-246 p.
3. García, C. (2011). “Contaminantes emergentes: efectos y tratamientos de remoción”, Revista Química Viva, ISSN 1666-7948, No 2, 96-115 p.
4. Sordía, D. (2000) Riesgos Químicos Ambientales relacionados con la Industria del Níquel en Cuba. Revista Instituto Nacional de Higiene, Epidemiología y Microbiología, 128(2), 213-20 p.
5. Barber, L.B. (2014) 1.13 - Emerging Contaminants, In Comprehensive Water Quality and Purification, edited by Satinder Ahuja, Elsevier, Waltham, 245-266 p.
6. Andrade, E. (2007) Activación y caracterización de materiales nanoestructurados para la remoción de cadmio. San Luís Potosí, 47-53 p.
7. Marianne, S. (2012) Review of risk from potential emerging contaminants in UK groundwater, Science of The Total Environment, Vol 416, 1-21 p.
8. Brooks, BW. (2012) Chapter Eight - Pharmaceuticals in the Environment: Lessons Learned for Reducing Uncertainties in Environmental Risk Assessment, In: Ernest Hodgson, Editor(s), Progress in Molecular Biology and Translational Science, Academic Press, 2, Vol 112, 231-258 p.
9. Brack, W. (2012). The NORMAN Network and its activities on emerging environmental substances with a focus on effect-directed analysis of complex environmental contamination. Environmental Sciences Europe, 24(1), 1-5 p.
10. Kuster, M. (2008). Analysis and occurrence of pharmaceuticals, estrogens, progestogens and polar pesticides in sewage treatment plant effluents, river water and drinking water in the Llobregat river basin (Barcelona, Spain). Journal of hydrology, 358(1), 112-123.
11. Adriaens, P. (2003) Intelligent infrastructure for sustainable potable water: a roundtable for emerging transnational research and technology development needs, Biotechnology Advances, Vol. 22, Issues 1–2, 119-134 p.
12. Duarte, C. M. (2006). Cambio Global. Impacto de la actividad humana sobre el sistema Tierra. CSIC. Consejo superior de investigaciones científicas. En: Am J HealthSystPharm. Vol. 56, No. 11. 1126-1131 P. En: Aquatic Toxicology. Vol. 76, No. 2. 122-159 P.
13. Eriksson E. (2003) Household chemicals and personal care products as sources for xenobiotic organic compounds in grey wastewater. Water SA 29:135–146
14. Marklund, M. (2006). Nonlinear collective effects in photon-photon and photon-plasma interactions. Reviews of modern physics, 78(2), 591.
15. Barceló, D. (2007). Contaminación y calidad química del agua: el problema de los contaminantes emergentes. Panel Científico-Técnico de seguimiento de la política de aguas.
16. Fent, K. (2006) Ecotoxicology of human pharmaceuticals
17. Cartagena, C. J. (2011). Contaminantes orgánicos emergentes en el ambiente: productos farmacéuticos. Revista Lasallista de Investigación, 8(2).
18. Guarino, A. (1986). Metabolism, disposition, and toxicity of drugs and other xenobiotics in aquatic species. En: Veterinary and human toxicology. Vol. 28. 38 P.
19. López, G. J. (2003). Comportamiento de las reacciones adversas a los analgésicos y antiinflamatorios no esteroideos notificadas por el Sistema Cubano de Farmacovigilancia. Rev Cubana Farm, 37(3), 3.
20. Carlsson C. (2006) Are pharmaceuticals potent environmental pollutants? Part I: environmental risk assessments of selected active pharmaceutical ingredients. Sci Total Environ; 364:67–87.
21. Díaz-Cruz, M. S. (2008). Trace organic chemicals contamination in ground water recharge. Chemosphere, 72(3), 333-342.
22. Huckele, S. (2013). “Risk management of emerging compounds and pathogens in the water cycle RiSKWa”. Environmental Sciences Europe, Vol. 25(1), 1-4 p.
23. Zhang Y. (2008). Carbamazepine and diclofenac: removal in wastewater treatment plants and occurrence in water bodies. Chemosphere; 73:1151–6.
24. Carballa M. (2008) Comparison of predicted and measured concentrations of selected pharmaceuticals, fragrances and hormones in Spanish sewage. Chemosphere; 72:1118–23.
25. Nikolaou A. (2007) Occurrence patterns of pharmaceuticals in water and wastewater environments. Anal Bioanal Chem; 387:1225–34.

26. Arikan OA. (2008). Occurrence of antibiotics and hormones in a major agricultural watershed. *Desalination*; 226:121–33.
27. Lin AYC. (2008) Pharmaceutical contamination in residential, industrial, and agricultural waste streams: risk to aqueous environments in Taiwan. *Chemosphere*: 74:131–41
28. Kümmerer K. (2009) The presence of pharmaceuticals in the environment due to human use present knowledge and future challenges. *J EnvironManage*; 90:2354–66.
29. Pal, A. (2010). Impacts of emerging organic contaminants on freshwater resources: review of recent occurrences, sources, fate and effects. *Science of the Total Environment*, 408(24), 6062-6069.
30. Fatta, D. (2013). “Wastewater reuse applications and contaminants of emerging concern”. *Environmental Science and Pollution Research*, Vol. 20, 3493–3495 p.
31. Suárez Lugo, N. (2010). La salud como resultado del consumo. *Revista Cubana de Salud Pública*, 36(4), 322-329.
32. Herrero, L. M. J. (1992). Medio ambiente y desarrollo alternativo: gestión racional de los recursos para una sociedad perdurable (Vol. 13). Iepala Editorial.
33. Arroyave Rojas, J. A (2012). Tecnologías ambientalmente sostenibles. ASHP Therapeutic Position Statement on the Safe Use of Oral Nonprescription Analgesics.
34. Alvariño, C. R. (2005). Tratamiento de las aguas residuales provenientes de la industria de medicamentos. *Revista CENIC. Ciencias Químicas*, 36(1), 39-44.
35. Mercado, A. (2005). Desarrollo sustentable-industria: más controversias, menos respuestas. *Ambiente&Sociedade*, 8(1), 27-50.
36. Ordóñez, G. A. (2000). Salud ambiental: conceptos y actividades. *Rev PanamSaludPublica*, 7(3), 137-47.
37. Cherni, J. A. (2001). Medio ambiente y globalización: desarrollo sustentable modernizado. Editorial Universitaria.

Extra Page not to be Printed out.

For your Research work, for citations/References Log on to=

www.sphinxesai.com

International Journal of ChemTech Research

International Journal of PharmTech Research 101513130

Sai Scientific Communications
