

International Journal of ChemTech Research

CODEN (USA): IJCRGG, ISSN: 0974-4290, ISSN(Online):2455-9555 Vol.10 No.5, pp 615-618, 2017

ChemTech

Identification of Cancer from the Mammogram Images by Using Frequency Domain Approaches

R.SasiKumar¹, B.Kiran Bala²*

^{1,2} Department of Computer Science and Engineering, K. Ramakrishnan College of Engineering, Trichy, Tamil Nadu, India.

Abstract : To identify whether the given mammogram image is tumor or cancer by using feature extraction of mammogram image like mass and microcalcification as a parameter from the mammogram images to give exact result to the patient and to avoid the noise, FAR & FRR is the main objective of the paper. In order to process the system MIAS database is used. To extract the feature in this system uses frequency domain for the process of the system.

Keywords : Tumor, Cancer, Mammogram images, Frequency domain.

Proposed System

The system deals with extraction of features like mass and microcalcification is the two main process is available in the proposed system.




Figure 1: Block Diagram

To extract the features system have frequency domain to identify the mass and microcalcification then match the extracted details with KN map algorithm to extract the accurate details of the system and basic block diagram mentioned in the Figure.1.

Implementation

The implementation for the proposed system is shown in the Figure.2. total proposed system was implemented in MATLAB and result shown in the implementation part.




Figure 2: Sample MIAS Database Image




Figure 3: Feature Extracted Images




Figure 4: Implemented Results for Cancer Image




Figure 5: Implemented Results for Tumor Image

From the Figure.3. shows the features extracted in mammogram images to identify the given image is tumor or cancer from the given images. The success rate for the proposed system has tested totally 1134 images and all the images got exact notification of the result is achieved.

Conclusion

The proposed system is used to identify the given image is tumor or cancer for that purpose MIAS database is used and features extracted like mass and microcalcification by using frequency domain approaches is used and results shown in the implementation part successfully implemented. The objective to identify the exact disease of patient, FAR and FRR was achieved in the implementation part.

References

- 1. Frequency Domain Approaches for Breast Cancer Diagnosis, B.Kiran Bala, Dr.S.Audithan, G.Kannan, K.Raja, Australian Journal of Basic and Applied Sciences, 10(2) Special 2016, Pages: 93-96.
- 2. http://www.mammoimage.Org/databases/
- 3. Multimodal Biometrics using Cryptographic Algorithm, B Kiran Bala, J Lourdu Joanna, European Journal of Academic Essays,2014, pages 6-10.
- 4. Wavelet and curvelet analysis for the classification of microcalcifiaction using mammogram images, B.Kiran Bala, Dr.S.Audithan, Current Trends in Engineering and Technology (ICCTET), 2014, Pages 517-521, IEEE Explore.
- 5. Wei Liyang, Yongyi Yang, Robert M. Nishikawa, Yulei Jiang, "A study on several machine-learning methods for classification of malignant and benign clustered microcalcifications", Medical Imaging IEEE Transactions, no. 24, pp. 371-380, 2005.
